CANADIAN JOURNAL OF EARTH SCIENCES

JOURNAL CANADIEN DES SCIENCES DE LA TERRE

VOLUME 23, 1986

Author Index / Index des auteurs

Achab, A. Assemblages de chitinozoaires dans l'Ordovicien inférieur de l'est du Canada, 682.

Aitken, J.D., see Park, J.K., 308

Alley, N.F., and Hicock, S.R. The stratigraphy, palynology, and climatic significance of pre-middle Wisconsin Pleistocene sediments, southern Vancouver Island, British Columbia, 369.

Alley, N.F., Valentine, K.W.G., and Fulton, R.J. Paleoclimatic implications of middle Wisconsinan pollen and a paleosol from the Purcell Trench, south central British Columbia, 1156.

Andrews, A.J., see Corfu, F., 107.

Andrews, A.J., see Kerrich, R., 1519.

Andrews, A.J. Silver vein deposits: summary of recent research, 1460.

Andrews, A.J., Owsiacki, L., Kerrich, R., and Strong, D.F. The silver deposits at Cobalt and Gowganda, Ontario. I: Geology, petrography, and whole-rock geochemistry, 1480.

Andrews, A.J., Masliwec, A., Morris, W.A., Owsiacki, L., and York, D. The silver deposits at Cobalt and Gowganda, Ontario. II: An experiment in age determinations employing radiometric and paleomagnetic measurements, 1507.

Armstrong, R.L. Rb-Sr dating of the Bokan Mountain granite complex and its country rocks: Reply, 744.

Arnott, R.J., McKerrow, W.S., and Cocks, L.R.M. The tectonics and depositional history of the Ordovician and Silurian rocks of Notre Dame Bay, Newfoundland: Reply, 588.

Ashworth, A.C., see Harington, C.R., 909.

Aspler, L.B., and Donaldson, J.A. Penecontemporaneous sandstone dykes, Nonacho Basin (early Proterozoic, Northwest Territories): horizontal injection in vertical, tabular fissures, 827.

Baadsgaard, H., see Cavell, P.A., 1.

Baragar, W.R.A., see Dostal, J., 622.

Barnes, C.R., see Landing, E., 1928.

Barr, S.M., see Fyffe, L.R., 1243.

Barr, S.M., Macdonald, A.S., and Blenkinsop, J. The Cheticamp pluton: a Cambrian granodioritic intrusion in the western Cape Breton Highlands, Nova Scotia, 1686.

Bauer, R.L. Multiple folding and pluton emplacement in Archean migmatites of the southern Vermilion granitic complex, northeastern Minnesota, 1753.

Beaudoin, A.B., see Luckman, B.H., 734.

Beaudoin, A.B., and King, R.H. Using discriminant function analysis to identify Holocene tephras based on magnetite composition: a case study from the Sunwapta Pass area, Jasper National Park, 804.

Beaumont, C., see Issler, D.R., 2083.

Beaupré, M., see Schroeder, J., 1842.

Beck, A.E., see Wang, K., 1257.

Beck, P., see Howard, K.W.F., 938.

Bednarski, J. Late Quaternary glacial and sea-level events, Clements Markham Inlet, northern Ellesmere Island, Arctic Canada, 1343.

Bennett, L., see French, H.M., 1389.

Berman, D.S., see Reisz, R.R., 77.

Bertrand, R., see Schrijver, K., 1709.

Bérubé, M.-A., Locat, J., Gélinas, P., Chagnon, J.-Y., and Lefrançois, P. Black shale heaving at Sainte-Foy, Quebec, Canada, 1774.

Birker, I., see Hewitt, R.A., 849.

Blenkinsop, J., see Thorpe, R.I., 1568.

Blenkinsop, J., see Barr, S.M., 1686.

Blodgett, R.B., see Boucot, A.J., 2048.

Botsford, J.W., see Erdtmann, B.-D., 766.

Boucot, A.J., and McCutcheon, S.R. Ziegler's Blisters in *Pentameroides* from a Lower Silurian fossil locality in the northeastern part of the Mascarene–Nerepis Belt, southern New Brunswick, 1437.

Boucot, A.J., Brett, C.E., Oliver, W.A., Jr., and Blodgett, R.B. Devonian faunas of the Sainte-Hélène Island breccia, Montréal, Quebec, Canada, 2048.

Bourne, J.H. Gec hemistry of the felsic metavolcanic rocks of the Wakeham Group: a metamorphosed peralkaline suite from the eastern Grenville Province, Ouebec, Canada, 978.

Bradley, D.C., and Bradley, L.M. Tectonic significance of the Carboniferous Big Pond Basin, Cape Breton Island, Nova Scotia, 2000.

Bradley, L.M., see Bradley, D.C., 2000.

Bradshaw, R.J. Archean wrench fault tectonics and structural evolution of the Blake River Group, Abitibi Belt, Quebec: Discussion, 1864.

Brett, C.E., see Boucot, A.J., 2048.

Broster, B.E. Till variability and compositional stratification: examples from the Port Huron lobe, 1823.

Brubaker, L.B., see Edwards, M.E., 1765.

Brunel, M., et Kienast, J.-R. Étude pétro-structurale des chevauchements ductiles himalayens sur la transversale de l'Everest-Makalu (Népal oriental), 1117.

Burden, E.T., McAndrews, J.H., and Norris, G. Palynology of Indian and European forest clearance and farming in lake sediment cores from Awenda Provincial Park, Ontario, 43.

Burden, E.T., Norris, G., and McAndrews, J.H. Geochemical indicators in lake sediment of upland erosion caused by Indian and European farming, Awenda Provincial Park. Ontario, 55.

Burn, C.R., Michel, F.A., and Smith, M.W. Stratigraphic, isotopic, and mineralogical evidence for an early Holocene thaw unconformity at Mayo, Yukon Territory, 794.

Burwash, R.A., see Frost, C.D., 1433.

Bustin, R.M., see Mathews, W.H., 259.

Buttler, C.J., see Elias, R.J., 739.

Calvert, S.E., see Huntley, D.J., 959.

Campbell, C.D., see Conley, D.J., 1442.

Campbell, I.H., see Lesher, C.M., 222.

Carson, M.A., and MacLean, P.A. Development of hybrid aeolian dunes: the William River dune field, northwest Saskatchewan, Canada, 1974.

Carson, T.M., see Turek, A., 92.

Causse, C., see Nielsen, E., 1641.

Cavell, P.A., and Baadsgaard, H. Geochronology of the Big Spruce Lake alkaline intrusion, 1.

Chagnon, A., see Schrijver, K., 1709.

Chagnon, J.-Y., see Bérubé, M.-A., 1774.

Changkakoti, A., and Morton, R.D. Electron microprobe analyses of native silver and associated aresenides from the Great Bear Lake silver deposits, Northwest Territories, Canada, 1470.

Changkakoti, A., Morton, R.D., Gray, J., and Yonge, C.J. Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits, Northwest Territories, 1463

Cheadle, B.A. Alluvial-playa sedimentation in the lower Keweenawan Sibley Group, Thunder Bay District, Ontario, 527.

Chevé, S.R., see Schrijver, K., 1709.

Chown, E.H., see Fahrig, W.F., 238.

Christie, K.W., see Fahrig, W.F., 238.

Church, M., see Ryder, J.M., 869.

Clague, J.J. The Quaternary stratigraphic record of British Columbia — evidence for episodic sedimentation and erosion controlled by glaciation, 885.

Clarke, G.K.C. Professor Mathews, outburst floods, and other glaciological disasters, 859.

Clarke, G.K.C., Meldrum, R.D., and Collins, S.G. Measuring glacier-motion fluctuations using a computer-controlled survey system, 727.

Cloutier, M., see Schroeder, J., 1842.

Cocks, L.R.M., see Arnott, R.J., 588.

Collins, S.G., see Clarke, G.K.C., 727.

Coniglio, M. Synsedimentary submarine slope failure and tectonic deformation in deep-water carbonates, Cow Head Group, western Newfoundland, 476.

Conley, D.J., Schelske, C.L., Dempsey, B.G., Campbell, C.D., and Newberry, T.L. Distribution of biogenic silica in the surficial sediments of Lake Michigan, 1442.

Copper, P., see Racheboeuf, P.R., 1297.

Copper, P., see Jisuo, J., 1309.

Corfu, F., and Wallace, H. U-Pb zircon ages for magmatism in the Red Lake greenstone belt, northwestern Ontario, 27.

Corfu, F., and Andrews, A.J. A U-Pb age for mineralized Nipissing diabase, Gowganda, Ontario, 107.

Corfu, F., and Wood, J. U-Pb zircon ages in supracrustal and plutonic rocks; North Spirit Lake area, northwestern Ontario, 967.

Corfu, F., and Stott, G.M. U-Pb ages for late magmatism and regional deformation in the Shebandowan Belt, Superior Province, Canada, 1075.

Crocket, J.H., see Oshin, I.O., 202.

Cruden, D.M., and Hungr, O. The debris of the Frank Slide and theories of rockslide-avalanche mobility, 425.

Currie, K.L., see Jamieson, R.A., 1891.

Davenport, P.H., see Tuach, J., 747.

Davis, D.W., and Edwards, G.R. Crustal evolution of Archean rocks in the Kakagi Lake area, Wabigoon Subprovince, Ontario, as interpreted from high-precision U-Pb geochronology, 182.

Dawes, P.R. The Nares Strait gravity anomaly and its implications for crustal structure: Discussion, 2077.

Dempsey, B.G., see Conley, D.J., 1442.

De Saint-André, B., and Lancelot, J.R. Rb-Sr dating of the Bokan Mountain granite complex and its country rocks: Discussion, 743.

Deutsch, E.R., see Rao, K.V., 1233.

de Vernal, A., et Mott, R.J. Palynostratigraphie et paléoenvironnements du Pléistocène supérieur dans la région du lac Bras d'Or, île du Cap-Breton, Nouvelle-Écosse, 491.

Dickson, W.L., see Tuach, J., 747.

Dilkes, D.W., and Reisz, R.R. The axial skeleton of the Early Permian reptile Eocaptorhinus laticeps (Williston), 1288.

Dinel, H., Richard, P.J.H., Levésque, P.E.M., et Larouche, A. Origine et évolution du marais tourbeux de Keswick, Ontario, par l'analyse pollinique et macrofossile, 1145.

Doig, R., see Higgins, M.D., 670.

Doig, R. A method for determining the frequency of large-magnitude earthquakes using lake sediments, 930.

Donaldson, J.A., see Aspler, L.B., 827.

Dostal, J., Baragar, W.R.A., and Dupuy, C. Petrogenesis of the Natkusiak continental basalts, Victoria Island, Northwest Territories, Canada, 622.

Douglas, B.J. Deformational history of an outlier of metasedimentary rocks. Coast Plutonic Complex, British Columbia, Canada, 813.

Dunning, G.R., and Krogh, T.E. Geochronology of ophiolites of the Newfoundland Appalachians: Reply, 1862.

Dupuy, C., see Dostal, J., 622.

Eade, K.E., see Tella, S., 1950.

Edwards, G.R., see Davis, D.W., 182.

Edwards, M.E., and Brubaker, L.B. Late Quaternary vegetation history of the Fishhook Bend area, Porcupine River, Alaska, 1765.

Elias, R.J., and Buttler, C.J. Late Ordovician solitary rugose corals preserved in life position, 739.

Elliott, C.G., and Williams, P.F. The tectonics and depositional history of the Ordovician and Silurian rocks of Notre Dame Bay, Newfoundland: Discussion, 586.

Erdmer, P., see Gower, C.F., 359.

Erdtmann, B.-D., and Botsford, J.W. A new early Tremadoc (Lal) graptolite faunule from western Newfoundland: its Australian affinity and biofacies relations, 766.

Evans, D.J.A., and Rogerson, R.J. Glacial geomorphology and chronology in the Selamiut Range - Nachvak Fiord area, Torngat Mountains, Labrador, 66.

Evans, K.V., and Fischer, L.B. U-Pb geochronology of two augen gneiss terranes, Idaho — new data and tectonic implications, 1919.

Evans, M.E., see Irving, E., 591.

Fader, G.B.J., see King, L.H., 504.

Fahrig, W.F., Christie, K.W., Chown, E.H., Janes, D., and Machado, N. The tectonic significance of some basic dyke swarms in the Canadian Superior Province with special reference to the geochemistry and paleomagnetism of the Mistassini swarm, Quebec, Canada, 238.

Fay, L., see Monaghan, G.W., 1851.

Fischer, L.B., see Evans, K.V., 1919.

Foland, K.A., see Gilbert, L.A., 948.

Foley, S.F., see Malpas, J., 1902.

Ford, D.C., see Smart, C.C., 919.

Foster, C.T., Jr., see Klapper, G., 1214.

Franklin, J.M., Kissin, S.A., Smyk, M.C., and Scott, S.D. Silver deposits associated with the Proterozoic rocks of the Thunder Bay District, Ontario, 1576.
French, H.M., and Pollard, W.H. Ground-ice investigations, Klondike District, Yukon Territory, 550.

French, H.M., Bennett, L., and Hayley, D.W. Ground-ice conditions near Rea Point and on Sabine Peninsula, eastern Melville Island, 1389.

Frost, C.D., and Burwash, R.A. Nd evidence for extensive Archean basement in the western Churchill Province, Canada, 1433.

Fulton, R.J., see Alley, N.F., 1156.

Fyffe, L.R., and Barr, S.M. Petrochemistry and tectonic significance of Carboniferous volcanic rocks in New Brunswick, 1243.

Fyles, J.G., see Greenwood, H.J., 857.

Gélinas, P., see Bérubé, M.-A., 1774.

Gilbert, L.A., and Foland, K.A. The Mont Saint Hilaire plutonic complex: occurrence of excess 40 Ar and short intrusion history, 948.

Giusti, L. The morphology, mineralogy, and behavior of "fine-grained" gold from placer deposits of Alberta: sampling and implications for mineral exploration, 1662.

Godwin, C.I., see Sketchley, D.A., 1455.

Godwin, C.I., Watson, P.H., and Shen, K. Genesis of the Lass vein system, Beaverdell silver camp, south-central British Columbia, 1615.

Goldsmith, L.B., Sinclair, A.J., and Read, P.B. Exploration implications of production and location data for Ag-rich vein deposits, Trout Lake mining camp, southeastern B.C., 1627.

Goodarzi, F. Anisotropic fragments in strongly folded and faulted coals from the Rocky Mountain area of southeast British Columbia, 254.

Goodbody, Q.H., see Rigby, J. K., 344.

Goodwin, A.M., see Lesher, C.M., 222.

Goodz, M.D., see Thorpe, R.I., 1568.

Goodz, M.D., Watkinson, D.H., Smejkal, V., and Pertold, Z. Sulphur-isotope geochemistry of silver-sulpharsenide vein mineralization, Cobalt, Ontario, 1551.

Gorton, M.P., see Lesher, C.M., 222.

Gough, W., see Irving, E., 591.

Gower, C.F., Erdmer, P., and Wardle, R.J. The Double Mer Formation and the Lake Melville rift system, eastern Labrador, 359.

Granger, R.J., see Gray, D.M., 696.

Gray, D.M., and Granger, R.J. In situ measurements of moisture and salt movement in freezing soils, 696.

Gray, J., see Changkakoti, A., 1463.

Greenhouse, J.P., and Monier-Williams, M. A gravity survey of the Dundas buried valley west of Copetown, Ontario, 110.

Greenough, J.D., and Papezik, V.S. Petrology and geochemistry of the early Mesozoic Caraquet dyke, New Brunswick, Canada, 193.

Greenwood, H.J., and Fyles, J.G. W. H. Mathews Symposium: A celebration/Symposium W. H. Mathews: Une célébration, 857.

Halls, H.C. Paleomagnetism, structure, and longitudinal correlation of Middle Precambrian dykes from northwestern Ontario and Minnesota, 142.

Harding, K.L., see Lapointe, P., 393.

Harington, C.R., and Ashworth, A.C. A mammoth (Mammuthus primigenius) tooth from late Wisconsin deposits near Embden, North Dakota, and comments on the distribution of woolly mammoths south of Wisconsin ice sheets, 909.

Hayley, D.W., see French, H.M., 1389.

Healy, R.E., see Reasoner, M.A., 1991.

Heaton, M.J., and Reisz, R.R. Phylogenetic relationships of captorhinomorph reptiles, 402.

Hebda, R.J., and Mathewes, R.W. Radiocarbon dates from Anthony Island, Queen Charlotte Islands, and their geological and archaeological significance, 2071.

Helmstaedt, H., and Padgham, W.A. A new look at the stratigraphy of the Yellowknife Supergroup at Yellowknife, N.W.T.—implications for the age of gold-bearing shear zones and Archean basin evolution, 454.

Hewitt, R.A., and Birker, I. The Thallograptus and Diplospirograptus from the Silurian Eramosa Member in Hamilton (Ontario, Canada), 849.

Hicock, S.R., see Alley, N.F., 369.

Hicock, S.R. Pleistocene glacial dispersal and history in Buttle valley, Vancouver Island, British Columbia: a feasibility study for alpine drift prospecting, 1867.

Hicock, S.R., and Rutter, N.W. Pleistocene aminostratigraphy of the Georgia Depression, southwest British Columbia, 383.

Higgins, M.D., and Doig, R. Geochemical constraints on the differentiation processes that were active in the Sept Iles complex, 670.

Hills, L.V., see Lowey, G.W., 1857.

Holmstrom, D., see Wang, C., 115.

Howard, K.W.F., and Beck, P. Hydrochemical interpretation of groundwater flow systems in Quaternary sediments of southern Ontario, 938.

Hungr, O., see Cruden, D.M., 425.

Huntley, D.J., Nissen, M.K., Thomson, J., and Calvert, S.E. An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments, 959.

Hurst, J.M., and Pickerill, R.K. The relationship between sedimentary facies and faunal associations in the Llandovery siliciclastic Ross Brook Formation, Arisaig, Nova Scotia, 705.

Hynes, A.J., see Murphy, J. B., 1138.

Irving, E., Wynne, P.J., Evans, M.E., and Gough, W. Anomalous paleomagnetism of the Crowsnest Formation of the Rocky Mountains, 591.

Issler, D.R., and Beaumont, C. Estimates of terrestrial heat flow in offshore eastern Canada: Discussion, 2083.

Jackson, H.R., and Koppen, L. The Nares Strait gravity anomaly and its implications for crustal structure: Reply, 2082.

Jacobi, R.D., see Wasowski, J.J., 583.

Jamieson, R.A., van Breemen, O., Sullivan, R.W., and Currie, K.L. The age of igneous and metamorphic events in the western Cape Breton Highlands, Nova Scotia. 1891.

Janes, D., see Fahrig, W.F., 238.

Jansa, L.F., see Pe-Piper, G., 1013.

Jenkins, W.A.M., see King, L.H., 504.

Jerzykiewicz, T., and Sweet, A.R. The Cretaceous-Tertiary boundary in the central Alberta foothills. I: Stratigraphy, 1356.

Jessop, A.M., see Reiter, M., 2085.

Jisuo, J., and Copper, P. The Early Silurian brachiopod Pentameroides from the Hudson Bay Lowlands, Ontario, 1309.

Johnson, R.J.E., and Van der Voo, R. Paleomagnetism of the Late Precambrian Fourchu Group, Cape Breton Island, Nova Scotia, 1673.

Johnson, S.Y., Zimmermann, R.A., Naeser, C.W., and Whetten, J.T. Fission-track dating of the tectonic development of the San Juan Islands, Washington,

Jonasson, I.R., see Thorpe, R.I., 1568.

Jones, B., see Mortensen, P.S., 1401.

Josenhans, H.W., Zevenhuizen, J., and Klassen, R.A. The Quaternary geology of the Labrador Shelf, 1190.

Kalacheva, E.D., see Sey, I.I., 1042.

Kalkreuth, W., and Langenberg, C. W. The timing of coalification in relation to structural events in the Grande Cache area, Alberta, Canada, 1103.

Kearney, M.S., see Luckman, B.H., 734.

Kehlenbeck, M.M. Folds and folding in the Beardmore-Geraldton fold belt, 158.

Kelamis, P.G., Kjartansson, E., and Marlin, E. G. Post-stack depth migration in the frequency-space domain, 839.

Kerrich, R., see McNeil, A.M., 324.

Kerrich, R., see Wu, T.-W., 1412.

Kerrich, R., see Andrews, A.J., 1480.

Kerrich, R., Strong, D.F., Andrews, A.J., and Owsiacki, L. The silver deposits at Cobalt and Gowganda, Ontario. III: Hydrothermal regimes and source reservoirs — evidence from H, O, C, and Sr isotopes and fluid inclusions, 1519.

Kesler, S.E., see Macdonald, A. J., 1603.

Kienast, J.-R., see Brunel, M., 1117.

King, A.F., see Malpas, J., 1902.

King, E.L., see King, L.H., 504.

King, E.R., see Klasner, J.S., 1083.

King, L.H., Fader, G.B.J., Jenkins, W.A.M., and King, E.L. Occurrence and regional geological setting of Paleozoic rocks on the Grand Banks of Newfoundland, 504.

King, R.H., see Luckman, B.H., 734.

King, R.H., see Beaudoin, A.B., 804.

Kissin, S.A., see Franklin, J.M., 1576.

Kjartansson, E., see Kelamis, P.G., 839.

Klapper, G., and Foster, C.T., Jr. Quantification of outlines in Frasnian (Upper Devonian) platform conodonts, 1214.

Klasner, J.S., and King, E.R. Precambrian basement geology of North and South Dakota, 1083.

Klassen, R.A., see Josenhans, H.W., 1190.

Kodama, H., see McKeague, J.A., 432.

Koppen, L., see Jackson, H.R., 2082.

Kreczmer, M.J., see Macdonald, A. J., 1603.

Krogh, T.E., see Dunning, G.R., 1862.

Kukkonen, I.T., see Nurmi, P.A., 1450.

Lajoie, J., see St-Onge, D.A., 1700.

Lancelot, J.R., see De Saint-André, B., 743.

Landing, E., Barnes, C.R., and Stevens, R.K. Tempo of earliest Ordovician graptolite faunal succession: conodont-based correlations from the Tremadocian of Quebec, 1928.

Langenberg, C. W., see Kalkreuth, W., 1103.

Lapointe, P., Morris, W.A., and Harding, K.L. Interpretation of magnetic susceptibility: a new approach to geophysical evaluation of the degree of rock alteration 393

Larouche, A., see Dinel, H., 1145.

Larsson, S.Y., and Stearn, C.W. Silurian stratigraphy of the Hudson Bay Lowland in Quebec, 288.

Lavoie, S., see Ruhlmann, F., 1742.

Leblanc, M. Co-Ni arsenide deposits, with accessory gold, in ultramafic rocks from Morocco, 1592.

Leckie, D. Petrology and tectonic significance of Gates Formation (early Cretaceous) sediments in northeast British Columbia, 129.

Lefrançois, P., see Bérubé, M.-A., 1774.

Leier-Englehardt, P.J., see Moecher, D.P., 633.

Lenz, A.C., see Melchin, M.J., 579.

Lenz, A.C., and Melchin, M.J. A synrhabdosome of Saetograptus fritschi cf. linearis (Bouček) from Cornwallis Island, Arctic Canada, 1854.

Lerbekmo, J.F., and St. Louis, R.M. The terminal Cretaceous iridium anomaly in the Red Deer Valley, Alberta, Canada, 120.

Lesher, C.M., Goodwin, A.M., Campbell, I.H., and Gorton, M.P. Trace-element geochemistry of ore-associated and barren, felsic metavolcanic rocks in the Superior Province, Canada, 222.

Levésque, P.E.M., see Dinel, H., 1145.

Li, Q., see Nyland, E., 2057.

Locat, J., see Bérubé, M.-A., 1774.

Lovis, W.A., see Monaghan, G.W., 1851.

Lowey, G.W., Sinclair, W.D., and Hills, L.V. Additional K-Ar isotopic dates for the Carmacks Group (Upper Cretaceous), west central Yukon, 1857.

Luckman, B.H., Kearney, M.S., King, R.H., and Beaudoin, A.B. Revised ¹⁴C age for St. Helens Y tephra at Tonquin Pass, British Columbia, 734.

Ludvigsen, R., and Westrop, S.R. Classification of the Late Cambrian trilobite Idiomesus Raymond, 300.

Lux, D.R. 40Art/39Ar ages for minerals from the amphibolite dynamothermal aureole, Mont Albert, Gaspe, Quebec, 21.

Macdonald, A.J., Kreczmer, M.J., and Kesler, S.E. Vein, manto, and chimney mineralization at the Fresnillo silver-lead-zinc mine, Mexico, 1603.

Macdonald, A.S., see Barr, S.M., 1686.

Machado, N., see Fahrig, W.F., 238.

Machel, H.-G. Limestone diagenesis of Upper Devonian Nisku carbonates in the subsurface of central Alberta, 1804.

Machel, H.-G. Erratum: Limestone diagenesis of Upper Devonian Nisku carbonates in the subsurface of central Alberta, 2087.

Mackay, J. R. The first 7 years (1978-1985) of ice wedge growth, Illisarvik experimental drained lake site, western Arctic coast, 1782.

Mackenzie, R.L., and Westgate, J.A. A microcomputer program for the ASTM method of grain-size analysis, 737.

MacLean, P.A., see Carson, M.A., 1974.

Malpas, J., Foley, S.F., and King, A.F. Alkaline mafic and ultramafic lamprophyres from the Aillik Bay area, Labrador, 1902.

Maluski, H., see Van Den Driessche, J., 1331.

Marlin, E. G., see Kelamis, P.G., 839.

Masliwec, A., see Andrews, A.J., 1507.

Mathewes, R.W., see Hebda, R.J., 2071.

Mathews, W.H., and Bustin, R.M. Vitrinite reflectances from Eocene rocks of southern British Columbia, a regional reconnaissance, 259.

Mathews, W.H., and Rouse, G.E. An Early Pleistocene proglacial succession in south-central British Columbia, 1796.

Mattinson, J.M. Geochronology of ophiolites of the Newfoundland Appalachians: Discussion, 1860.

Mayr, U., see Sobczak, L.W., 608.

McAndrews, J.H., see Burden, E.T., 43.

McAndrews, J.H., see Burden, E.T., 55.

McCann, T., and Pickerill, R.K. The trace fossil Yakutatia emersoni from the Cretaceous Kodiak Formation of Alaska, 262.

McCutcheon, S.R., see Boucot, A.J., 1437.

McKeague, J.A., Schuppli, P.A., and Kodama, H. Glauconite nodules in a Nampa pedon from Alberta, 432.

McKerrow, W.S., see Arnott, R.J., 588.

McNeil, A.M., and Kerrich, R. Archean lamprophyre dykes and gold mineralization, Matheson, Ontario: the conjunction of LILE-enriched mafic magmas, deep crustal structures, and Au concentration, 324.

Medaris, L.G., Jr., see Moecher, D.P., 633.

Medioli, F.S., Schafer, C.T., and Scott, D.B. Distribution of recent benthonic foraminifera near Sable Island, Nova Scotia, 985.

Melchin, M.J., see Lenz, A.C., 1854.

Melchin, M.J., and Lenz, A.C. Uncompressed specimens of Monograptus turriculatus (Barrande, 1850) from Cornwallis Island, Arctic Canada, 579.

Meldrum, R.D., see Clarke, G.K.C., 727.

Melnyk, T.W., and Skeet, A.M.M. An improved technique for the determination of rock porosity, 1068.

Menzies, J. Inverse-graded units within till in drumlins near Caledonia, southern Ontario, 774.

Michel, F.A., see Burn, C.R., 794.

Michel, F.A. Isotope geochemistry of frost-blister ice, North Fork Pass, Yukon, Canada, 543.

Moecher, D.P., Perkins, D., III, Leier-Englehardt, P.J., and Medaris, L.G., Jr. Metamorphic conditions of late Archean high-grade gneisses, Minnesota River valley, U.S.A., 633.

Monaghan, G.W., Lovis, W.A., and Fay, L. The Lake Nipissing transgression in the Saginaw Bay region, Michigan, 1851.

Monier-Williams, M., see Greenhouse, J.P., 110.

Morgan, A., see Nielsen, E., 1641.

Morgan, A.V., see Nielsen, E., 1641.

Morris, W.A., see Lapointe, P., 393.

Morris, W.A., see Andrews, A.J., 1507.

Mortensen, P.S., and Jones, B. The role of contemporaneous faulting on Late Silurian sedimentation in the eastern M'Clintock Basin, Prince of Wales Island, Arctic Canada, 1401.

Morton, R.D., see Changkakoti, A., 1463.

Morton, R.D., see Changkakoti, A., 1470.

Mott, R.J., see de Vernal, A., 491.

Mott. R.J., see Nielsen, E., 1641.

Murphy, J. B., and Hynes, A.J. Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians, 1138.

Naeser, C.W., see Johnson, S.Y., 1318.

Newberry, T.L., see Conley, D.J., 1442.

Newitt, L.R., and Niblett, E.R. Relocation of the north magnetic dip pole, 1062.

Niblett, E.R., see Newitt, L.R., 1062.

Nielsen, E., Morgan, A.V., Morgan, A., Mott, R.J., Rutter, N.W., and Causse, C. Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba, 1641.

Nielsen, P.A. Metamorphism of the Arseno Lake area, N.W.T., Canada: an Abukuma facies series of Aphebian age, 646.

Nissen, M.K., see Huntley, D.J., 959.

Nixon, J.F. Observations of soil freezing and frost heave at Inuvik, Northwest Territories, Canada: Discussion, 436.

Nixon, J.F. Thermal simulation of subsea saline permafrost, 2039.

Noble, J.P.A., see Williams, P.F., 1228.

Norris, G., see Burden, E.T., 43.

Norris, G., see Burden, E.T., 55.

Nurmi, P.A., and Kukkonen, I.T. A new technique for sampling water and gas from deep drill holes, 1450.

Nyland, E., and Li, Q. Analysis of seismic instability of the Vancouver Island lithoprobe transect, 2057.

Ogden, J.G., III. An alternative to exotic spore or pollen addition in quantitative microfossil studies, 102.

Okulitch, A.V., Packard, J.J., and Zolnai, A.I. Evolution of the Boothia Uplift, arctic Canada, 350.

Oliver, W.A., Jr., see Boucot, A.J., 2048.

Oshin, I.O., and Crocket, J.H. The geochemistry and petrogenesis of ophiolitic volcanic rocks from Lac de l'Est, Thetford Mines Complex, Quebec, Canada, 202.

Owsiacki, L., see Andrews, A.J., 1480.

Owsiacki, L., see Andrews, A.J., 1507.

Owsiacki, L., see Kerrich, R., 1519

Packard, J.J., see Okulitch, A.V., 350. Padgham, W.A., see Helmstaedt, H., 454.

Papezik, V.S., see Greenough, J.D., 193.

Park, J.K., and Aitken, J.D. Paleomagnetism of the Katherine Group in the Mackenzie Mountains: implications for post-Grenville (Hadrynian) apparent polar wander. 308.

Patterson, J.G. The Amer Belt: remnant of an Aphebian foreland fold and thrust belt, 2012.

Pedder, A.E.H., see Sorauf, J.E., 1265.

Pe-Piper, G., and Jansa, L.F. Triassic olivine-normative diabase from Northumberland Strait, eastern Canada: implications for continental rifting, 1013.

Perkins, D., III, see Moecher, D.P., 633.

Pertold, Z., see Goodz, M.D., 1551.

Petryk, A.A., see Seguin, M.K., 1880.

Piboule, M., see Picard, C., 561.

Piboule, M., see Picard, C., 1169.

Picard, C., et Piboule, M. Pétrologie des roches volcaniques du sillon de roches vertes arhéennes de Matagami—Chibougamau à l'ouest de Chapais (Abitibi est, Québec). 1. Le groupe basal de Roy, 561.

Picard, C., et Piboule, M. Pétrologie des roches volcaniques du sillon de roches vertes archéennes de Matagami-Chibougamau à l'ouest de Chapais (Abitibi est, Québec). 2. Le groupe hautement potassique d'Opémisca, 1169.

Pickerill, R.K., see McCann, T., 262.

Pickerill, R.K., see Hurst, J.M., 705.

Plint, H.A., and von Bitter, P.H. Windsor Group (Lower Carboniferous) conodont biostratigraphy and palaeoecology, Magdalen Islands, Quebec, Canada, 439.

Pollard, W.H., see French, H.M., 550.

Racheboeuf, P.R., and Copper, P. The oldest chonetacean brachiopods (Ordovician-Silurian, Anticosti Island, Québec), 1297.

Rao, K.V., Seguin, M.K., and Deutsch, E.R. Paleomagnetism of Early Cambrian redbeds on Cape Breton Island, Nova Scotia, 1233.

Ray, G.E. The Hozameen fault system and related Coquihalla serpentine belt of southwestern British Columbia, 1022.

Raynal, M., see Ruhlmann, F., 1742.

Read, P.B., see Goldsmith, L.B., 1627.

Reasoner, M.A., and Healy, R.E. Identification and significance of tephras encountered in a core from Mary Lake, Yoho National Park, British Columbia, 1991.

Reid, R.P. Discovery of Triassic phylloid algae: possible links with the Paleozoic, 2068.

Reisz, R.R., see Heaton, M.J., 402.

Reisz, R.R., see Dilkes, D.W., 1288.

Reisz, R.R., and Berman, D.S. Ianthasaurus hardestii n. sp., a primitive edaphosaur (Reptilia, Pelycosauria) from the Upper Pennsylvanian Rock Lake Shale near Garnett, Kansas, 77.

Reiter, M., and Jessop, A.M. Estimates of terrestrial heat flow in offshore eastern Canada: Reply, 2085.

Retelle, M.J. Glacial geology and Quaternary marine stratigraphy of the Robeson Channel area, northeastern Ellesmere Island, Northwest Territories, 1001.

Richard, P.J.H., see Dinel, H., 1145.

Rigby, J. K., and Goodbody, Q.H. Malluviospongia, a new Devonian heteractinid sponge from the Bird Fiord Formation of southwestern Ellesmere Island, Northwest Territories, Canada, 344.

Rogerson, R.J., see Evans, D.J.A., 66.

Ross, G.J., see Wang, C., 115.

Rouse, G.E., see Mathews, W.H., 1796.

Ruhlmann, F., Raynal, M., et Lavoie, S. Un exemple de métasomatisme alcalin albite-uranium dans le bassin des Monts Otish, Québec, 1742.

Rutter, N.W., see Hicock, S.R., 383.

Rutter, N.W., see Nielsen, E., 1641.

Ryder, J.M., and Thomson, B. Neoglaciation in the southern Coast Mountains of British Columbia: chronology prior to the late Neoglacial maximum, 273.

Ryder, J.M., and Church, M. The Lillooet terraces of Fraser River: a palaeoenvironmental enquiry, 869.

Sarjeant, W.A.S., and Thulborn, R.A. Probable marsupial footprints from the Cretaceous sediments of British Columbia, 1223.

Schafer, C.T., see Medioli, F.S., 985.

Schelske, C.L., see Conley, D.J., 1442.

Schrijver, K., Bertrand, R., Chagnon, A., Tassé, N., and Chevé, S.R. Fluids in cupriferous dolostones and dolomite veins, Proterozoic Dunphy Formation, Labrador Trough, 1709.

Schroeder, J., Beaupré, M., and Cloutier, M. lce-push caves in platform limestones of the Montréal area, 1842.

Schuppli, P.A., see McKeague, J.A., 432.

Schwarzhans, W. Fish otoliths from the lower Tertiary of Ellesmere Island, 787.

Scott, D.B., see Medioli, F.S., 985.

Scott, S.D., see Franklin, J.M., 1576.

Seguin, M.K., see Rao, K.V., 1233.

Seguin, M.K., and Petryk, A.A. Paleomagnetic study of the Late Ordovician - Early Silurian platform sequence of Anticosti Island, Quebec, 1880.

Sey, I.I., Kalacheva, E.D., and Westermann, G.E.G. The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Province, 1042.

Shen, K., see Godwin, C.1., 1615.

Shen, P.Y., see Wang, K., 1257.

Sinclair, A.J., see Sketchley, D.A., 1455.

Sinclair, A.J., see Goldsmith, L.B., 1627.

Sinclair, W.D., see Lowey, G.W., 1857.

Skeet, A.M.M., see Melnyk, T.W., 1068.

Sketchley, D.A., Sinclair, A.J., and Godwin, C.I. Early Cretaceous gold-silver mineralization in the Sylvester allochthon, near Cassiar, north central British Columbia. 1455.

Smart, C.C., and Ford, D.C. Structure and function of a conduit aquifer, 919.

Smejkal, V., see Goodz, M.D., 1551.

Smith, M.W. Observations of soil freezing and frost heave at Inuvik, Northwest Territories, Canada: Reply, 438.

Smith, M.W., see Burn, C.R., 794.

Smith, P.E., see Turek, A., 92.

Smith, P.E., see Turek, A., 127.

Smith, P.L., see Thomson, R.C., 1963.

Smyk, M.C., see Franklin, J.M., 1576.

Sobczak, L.W., Mayr, U., and Sweeney, J.F. Crustal section across the polar continent-ocean transition in Canada, 608.

Sorauf, J.E., and Pedder, A.E.H. Late Devonian rugose corals and the Frasnian-Famennian crisis, 1265.

Souther, J.G. The western Anahim Belt: root zone of a peralkaline magma system, 895.

St. Louis, R.M., see Lerbekmo, J.F., 120.

St-Onge, D.A., and Lajoie, J. The late Wisconsinan olistostrome of the lower Coppermine River valley, Northwest Territories, 1700.

Stea, R.R., see Wang, C., 115.

Stearn, C.W., see Larsson, S.Y., 288.

Stevens, R.K., see Landing, E., 1928.

Stott, G.M., see Corfu, F., 1075.

Strong, D.F., see Tuach, J., 747.

Strong, D.F., see Andrews, A.J., 1480.

Strong, D.F., see Kerrich, R., 1519.

Struik, L.C. Imbricated terranes of the Cariboo gold belt with correlations and implications for tectonics in southeastern British Columbia, 1047.

Sullivan, R.W., see Jamieson, R.A., 1891.

Sweeney, J.F., see Sobczak, L.W., 608.

Sweet, A.R., see Jerzykiewicz, T., 1356.

Sweet, A.R. The Cretaceous-Tertiary boundary in the central Alberta foothills. II: Miospore and pollen taxonomy, 1375.

Symons, D.T.A., see Turek, A., 127.

Tassé, N., see Schrijver, K., 1709.

Tella, S., and Eade, K.E. Occurrence and possible tectonic significance of high-pressure granulite fragments in the Tulemalu fault zone, District of Keewatin, N.W.T., Canada, 1950.

Thomson, B., see Ryder, J.M., 273.

Thomson, J., see Huntley, D.J., 959.

Thomson, R.C., Smith, P.L., and Tipper, H.W. Lower to Middle Jurassic (Pliensbachian to Bajocian) stratigraphy of the northern Spatsizi area, north-central British Columbia. 1963.

Thorpe, R.I. U-Pb geochronology of the Coldwell Complex, northwestern Ontario, Canada: Discussion, 125.

Thorpe, R.I., Goodz, M.D., Jonasson, I.R., and Blenkinsop, J. Lead-isotope study of mineralization in the Cobalt district, Ontario, 1568.

Thulborn, R.A., see Sarjeant, W.A.S., 1223.

Tipper, H.W., see Thomson, R.C., 1963.

Tuach, J., Davenport, P.H., Dickson, W.L., and Strong, D.F. Geochemical trends in the Ackley Granite, southeast Newfoundland: their relevance to magmatic-metallogenic processes in high-silica granitoid systems, 747.

Turek, A., Carson, T.M., Smith, P.E., Van Schmus, W.R., and Weber, W. U-Pb zircon ages for rocks from the Island Lake greenstone belt, Manitoba, 92.

Turek, A., Smith, P.E., and Symons, D.T.A. U-Pb geochronology of the Coldwell Complex, northwestern Ontario, Canada: Reply, 127.

Turner, R.E. New and revised acritarch taxa from the Upper Devonian (Frasnian) of Alberta, Canada, 599.

Valentine, W.G., see Alley, N.F., 1156.

van Breemen, O., see Jamieson, R.A., 1891.

Vance, R.E. Pollen stratigraphy of Eaglenest Lake, northeastern Alberta, 11.

Van Den Driessche, J., et Maluski, H. Mise en évidence d'un cisaillement ductile dextre d'âge crétacé moyen dans la région de Tête Jaune Cache (nord-est du complexe métamorphique Shuswap, Colombie-Britannique), 1331.

Van der Voo, R., see Johnson, R.J.E., 1673.

Van Schmus, W.R., see Turek, A., 92.

Veillette, J.J. Former southwesterly ice flows in the Abitibi-Timiskaming region: implications for the configuration of the late Wisconsinan ice sheet, 1724. von Bitter. P.H., see Plint, H.A., 439.

Vreeken, W.J. Quaternary events in the Elkwater Lake area of southeastern Alberta, 2024.

Wallace, H., see Corfu, F., 27.

Wang, C., Stea, R.R., Ross, G.J., and Holmstrom, D. Age estimation of the Shulie Lake and Eatonville tills in Nova Scotia by pedogenic development, 115.

Wang, K., Shen, P.Y., and Beck, A.E. On the effects of thermal properties structure and water bottom temperature variation on temperature gradients in lake sediments, 1257.

Wardle, R.J., see Gower, C.F., 359.

Wasowski, J.J., and Jacobi, R.D. The tectonics and depositional history of the Ordovician and Silurian rocks of Notre Dame Bay, Newfoundland: Discussion, 583.

Watkinson, D.H., see Goodz, M.D., 1551.

Watson, P.H., see Godwin, C.I., 1615.

Weber, W., see Turek, A., 92.

Westermann, G.E.G., see Sey, I.I., 1042.

Westgate, J.A., see Mackenzie, R.L., 737.

Westrop, S.R., see Ludvigsen, R., 300.

Westrop, S.R. New ptychaspidid trilobites from the Upper Cambrian Mistaya Formation of southern Alberta, 214.

Wetmiller, R.J. Earthquakes near Rocky Mountain House, Alberta, and their relationship to gas production facilities, 172.

Whetten, J.T., see Johnson, S.Y., 1318.

Williams, P.F., see Elliott, C.G., 586.

Williams, P.F., and Noble, J.P.A. Saffordophyllum and evidence for thrusting in the Cobbs Arm sequence, Newfoundland, 1228.

Wolf, D. On deglaciation-induced perturbations of the geoid, 269.

Wood, J., see Corfu, F., 967.

Wu, T.-W., and Kerrich, R. Combined oxygen isotope – compositional studies of some granitoids from the Grenville Province of Ontario, Canada: implications for source regions, 1412.

Wynne, P.J., see Irving, E., 591.

Yonge, C.J., see Changkakoti, A., 1463.

York, D., see Andrews, A.J., 1507.

Youngman, P.M. The extinct short-faced skunk Brachyprotoma obtusata (Mammalia, Carnivora): first records for Canada and Beringia, 419.

Zevenhuizen, J., see Josenhans, H.W., 1190.

Zimmermann, R.A., see Johnson, S.Y., 1318.

Zolnai, A.I., see Okulitch, A.V., 350.

VOLUME 23, 1986

Subject Index / Index des matières¹

absolute age see also geochronology; isotopes absolute age—dates

andesites: Additional K-Ar isotopic dates for the Carmacks Group (Upper Cretaceous), west central Yukon

(Lowey, G. W., et al.) 11: 1857-1859 basalts: An early Pleistocene proglacial succession in south-central British Columbia

(Mathews, W. H., et al.)

11: 1796-1803

charcoal: The Lake Nipissing transgression in the Saginaw Bay region, Michigan (Monaghan, G. W., et al.)

11: 1851-1854

crystalline rocks: Crustal evolution of Archean rocks in the Kakagi Lake area, Wabigoon Subprovince, Ontario, as interpreted from high-precision U-Pb geochronology

(Davis, D. W., et al.) 2: 182-192 diabase: A U-Pb age for mineralized Nipissing Diabase, Gowganda, Ontario (Corfu, F., et al.) 1: 107-109

Triassic olivine-normative diabase from Northumberland Strait, Eastern Canada; implications for continental rifting (Pe-Piper, Georgia, et al.)

7: 1013-1021

galena: Lead-isotope study of mineralization in the Cobalt District, Ontario

(Thorpe, R. I., et al.) 10: 1568-1575 glacial geology: Late Quaternary glacial and sea-level events, Clements Markham Inlet, northern Ellesmere Island, Arctic Canada

(Bednarski, Jan) 9: 1343-1355 granodiorites: The Cheticamp Pluton; a Cambrian granodioritic intrusion in the western Cape Breton Highlands, Nova

(Barr, Sandra M., et al.) 11: 1686-1699 intrusive rocks: Geochronology of the Big Spruce Lake alkaline intrusion

(Cavell, P. A., et al.) 1: 1-10 lake sediments: Late Quaternary vegetation history of the Fishhook Bend area, Porcupine River, Alaska

(Edwards, Mary E., et al.) 11: 1765-1773

marine sediments: The Quaternary geology of the Labrador Shelf

(Josenhans, H. W., et al.) 8: 1190-1213 metamorphic rocks: A Middle Cretaceous dextral ductile shear in the Yellowhead Pass region; northeastern Shuswap metamorphic complex, British Columbia (Van den Driessche, Jean, et al.)

9: 1331-1342

 Nd evidence for extensive Archean basement in the western Churchill Province, Canada

(Frost, C. D., et al.) 9: 1433-1437 ophiolite: ⁴⁰Ar (³⁹Ar ages for minerals from the amphibolite dynamothermal aureole, Mont Albert, Gaspe, Quebec

(Lux, Daniel R.)

1: 21-26
organic materials: Stratigraphic, isotopic,
and mineralogical evidence for an early
Holocene thaw unconformity at Mayo,
Yukon Territory

(Burn, C. R., et al.) 6: 794-803 peat: Radiocarbon dates from Anthony Island, Queen Charlotte Islands, and their geological and archaeological significance

(Hebda, Richard J., et al.)

12: 2071-2076

Revised ¹⁴C age for St. Helens Y tephra at Tonquin Pass, British Columbia

(Luckman, B. H., et al.) 5: 734-736 sericite: Early Cretaceous gold-silver mineralization in the Sylvester Allochthon, near Cassiar, north central British Columbia

(Sketchley, Dale A., et al.)

9: 1455-1458 shells: Glacial geology and Quaternary marine stratigraphy of the Robeson Channel area, northeastern Ellesmere Island, Northwest Territories

(Retelle, Michael J.) 7: 1001-1012

— Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba (Nielsen, Erik, et al.) 11: 1641-1661

(Nielsen, Erik, et al.) 11: 1641-1661 silver ores: The silver deposits at Cobalt and Gowganda, Ontario; II, An experiment in age determinations employing radiometric and paleomagnetic measure-

(Andrews, Anthony J., et al.)

volcanic rocks: The western Anahim Belt; root zone of a peralkaline magma system (Souther, J. G.) 6: 895-908 wood: Development of hybrid aeolian

dunes; the William River dune field, Northwest Saskatchewan, Canada

(Carson, M. A., et al.) 12: 1974-1990

— Neoglaciation in the southern Coast
Mountains of British Columbia;
chronology prior to the late Neoglacial
maximum

(Ryder, J. M., et al.) 3: 273-287 zircon: The age of igneous and metamorphic ic events in the western Cape Breton Highlands, Nova Scotia

(Jamieson, R. A., et al.) 12: 1891-1901

U-Pb ages for late magmatism and regional deformation in the Shebandowan Belt, Superior Province, Canada (Corfu, F., et al.)
 8: 1075-1082

 U-Pb geochronology of two augen gneiss terranes, Idaho; new data and tectonic implications

(Evans, Karl V., et al.) 12: 1919-1927

— U-Pb zircon ages for magmatism in the
Red Lake greenstone belt, northwestern

Ontario
(Corfu, F., et al.)

1: 27-42

— U-Pb zircon ages for rocks from the Island Lake greenstone belt, Manitoba (Turek, A., et al.) 1: 92-101

U-Pb zircon ages in supracrustal and plutonic rocks; North Spirit Lake area, northwestern Ontario (Corfu, F., et al.)
 7: 967-977

absolute age-interpretation

Ar/Ar: The Mont Saint Hilaire plutonic complex; occurrence of excess 40Ar and short intrusion history

(Gilbert, Lisa A., et al.) 7: 948-958 intrusions: Rb-Sr dating of the Bokan Mountain granite complex and its country rocks [discussion and reply]

(de Saint-Andre, B., et al.) 5: 743-745 ophiolite: Geochronology of ophiolites of the Newfoundland Appalachians [discussion and reply]

(Mattinson, James M., et al.)

11: 1860-1864 U/Pb: U-Pb geochronology of the Coldwell Complex, northwestern Ontario, Canada [discussion and reply]

(Thorpe, R. I., et al.) 1: 125-128
acoustical surveys see under geophysical sur-

acoustical surveys see under geophysical veys under Atlantic Ocean

acritarchs see under palynomorphs

aeromagnetic surveys see magnetic surveys under geophysical surveys under Northwest Territories

Africa see also Morocco

Alaska-geochronology

Jurassic: Rb-Sr dating of the Bokan Mountain granite complex and its country rocks [discussion and reply] (de Saint-Andre, B., et al.) 5: 743-745

Alaska-paleontology

ichnofossils: The trace fossil Yakutatia emersoni from the Cretaceous Kodiak Formation of Alaska (McCann, T., et al.) 2: 262-269 Alaska-stratigraphy

Jurassic: The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Province

(Sey, I. I., et al.) 7: 1042-1045 Quaternary: Late Quaternary vegetation

history of the Fishhook Bend area, Porcupine River, Alaska (Edwards, Mary E., et al.)

11: 1765-1773

Alberta-economic geology

coal: The timing of coalification in relation to structural events in the Grande Cache area, Alberta, Canada (Kalkreuth, Wolfgang, et al.)

8: 1103-1116

gold ores: The morphology, mineralogy, and behavior of "fine-grained" gold from placer deposits of Alberta; sampling and implications for mineral exploration (Giusti, L.) 11: 1662-1672

natural gas: Earthquakes near Rocky Mountain House, Alberta, and their relationship to gas production facilities (Wetmiller, Robert J.) 2: 172-181

Alberta—engineering geology

earthquakes: Earthquakes near Rocky Mountain House, Alberta, and their relationship to gas production facilities (Wetmiller, Robert L) 2: 172-181

(Wetmiller, Robert J.) 2: 172-181 slope stability: The debris of the Frank Slide and theories of rockslide-avalanche mobility

(Cruden, D. M., et al.) 3: 425-432

Alberta—geochemistry

trace elements: Erratum; Limestone diagenesis of Upper Devonian Nisku carbonates in the subsurface of central Alberta

(Machel, Hans G.) 12: 2087

— Limestone diagenesis of Upper Devonian Nisku carbonates in the subsurface of

central Alberta

(Machel, Hans G.) 11: 1804-1822

— The terminal Cretaceous iridium anomaly in the Red Deer Valley, Alberta, Canada

(Lerbekmo, J. F., et al.) 1: 120-124

Alberta—geochronology

Holocene: Using discriminant function analysis to identify Holocene tephras based on magnetite composition; a case study from the Sunwapta Pass area, Jasper National Park

(Beaudoin, A. B., et al.) 6: 804-812 Quaternary: Quaternary events in the Elkwater Lake area of southeastern Alberta (Vreeken, Willem J.) 12: 2024-2038

Alberta-hydrogeology

springs: Structure and function of a conduit aquifer

(Smart, C. C., et al.) 7: 919-929

Alberta-paleobotany

palynomorphs: New and revised acritarch taxa from the Upper Devonian (Frasnian) of Alberta, Canada (Turner, Robert E.) 5: 599-607 Alberta—paleontology

Trilobita: New ptychaspidid trilobites from the Upper Cambrian Mistaya Formation of southern Alberta (Westrop, Stephen R.) 2: 214-221

Alberta-soils

morphology: Glauconite nodules in a Nampa pedon from Alberta (McKeague, J. A., et al.) 3: 432-435

Alberta-stratigraphy

Cretaceous: Anomalous paleomagnetism of the Crowsnest Formation of the Rocky Mountains

(Irving, E., et al.) 5: 591-598

The Cretaceous-Tertiary boundary in the central Alberta foothills; I, Stratigra-

phy

(Jerzykiewicz, T., et al.) 9: 1356-1374

— The Cretaceous-Tertiary boundary in the central Alberta foothills; II, Miospore and pollen taxonomy

(Sweet, A. R.) 9: 1375-1388

— The terminal Cretaceous iridium anomaly in the Red Deer Valley, Alberta,

Canada (Lerbekmo, J. F., et al.) 1: 120-124

Paleocene: The Cretaceous-Tertiary boundary in the central Alberta foothills:

I. Stratigraphy

(Jerzykiewicz, T., et al.) 9: 1356-1374

— The Cretaceous-Tertiary boundary in the central Alberta foothills; II, Miospore and pollen taxonomy (Sweet, A. R.) 9: 1375-1388

Quaternary: Pollen stratigraphy of Eaglenest Lake, northeastern Alberta
(Vance, R. E.) 1: 11-20

Tertiary: The Cretaceous-Tertiary boundary in the central Alberta foothills; I, Stratigraphy

(Jerzykiewicz, T., et al.) 9: 1356-1374

— The Cretaceous-Tertiary boundary in the central Alberta foothills; II, Miospore and pollen taxonomy (Sweet, A. R.) 9: 1375-1388

algae-occurrence

Triassic: Discovery of Triassic phylloid algae; possible links with the Paleozoic (Reid, R. Pamela) 12: 2068-2071

Alps see also the individual countries

ammonites see Mollusca

ammonoids see under mollusks

Andes see also the individual countries

Appalachians see also the individual states and provinces

Appalachians—geochemistry

trace elements: Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.) 8: 1138-1144

Appalachians—geochronology

Cambrian: Geochronology of ophiolites of the Newfoundland Appalachians [discussion and reply] (Mattinson, James M., et al.)

Ordovician: Geochronology of ophiolites of the Newfoundland Appalachians [discussion and reply] (Mattinson, James M., et al.)

11: 1860-1864

archaeology see also under stratigraphy under British Columbia; Michigan; Ontario

Archean see also under geochronology under Canadian Shield; Manitoba; Ontario; see also under stratigraphy under Canadian Shield; Northwest Territories

archeology see archaeology under stratigraphy under British Columbia; Michigan; Ontario

Arctic Ocean—tectonophysics

crust: Crustal section across the polar continent-ocean transition in Canada (Sobczak, L. W., et al.) 5: 608-621

The Nares Strait gravity anomaly and its implications for crustal structure [discussion and reply]

(Dawes, Peter R., et al.) 12: 2077-2082

Arctic region see also the individual countries; Greenland

argon-isotopes

Ar-40: The Mont Saint Hilaire plutonic complex; occurrence of excess ⁴⁰Ar and short intrusion history (Gilbert, Lisa A., et al.) 7: 948-958

artifacts see archaeology under stratigraphy under British Columbia; Michigan; Ontario

Asia see also Himalayas; Nepal

Atlantic Ocean—economic geology

fuel resources: Occurrence and regional geological setting of Paleozoic rocks on the Grand Banks of Newfoundland (King, Lewis H., et al.) 4: 504-526

Atlantic Ocean—geophysical surveys

acoustical surveys: The Quaternary geology of the Labrador Shelf (Josenhans, H. W., et al.) 8: 1190-1213

seismic surveys: Occurrence and regional geological setting of Paleozoic rocks on the Grand Banks of Newfoundland (King, Lewis H., et al.) 4: 504-526

Atlantic Ocean-oceanography

sedimentation: Distribution of Recent benthonic foraminifera near Sable Island, Nova Scotia (Medioli, F. S., et al.) 7: 985-1000

Atlantic Ocean—petrology

igneous rocks: Triassic olivine-normative diabase from Northumberland Strait, Eastern Canada; implications for continental rifting (Pe-Piper, Georgia, et al.)

(i c-i ipci, ocoigia, ci ai.)

7: 1013-1021

Atlantic Ocean—stratigraphy

Paleozoic: Occurrence and regional geological setting of Paleozoic rocks on the Grand Banks of Newfoundland (King, Lewis H., et al.) 4: 504-526

Atlantic Ocean—tectonophysics

heat flow: Estimates of terrestrial heat flow in offshore Eastern Canada [discussion and reply] (Issler, Dale R., et al.) 12: 2083-2086

Atlantic region see also the individual coun-

atolls see reefs under sedimentary petrology under Yukon Territory

automatic data processing see data process-

Baltic region see also the individual countries base metals see also under economic geology under Canadian Shield

biogeography—corals

Devonian: Late Devonian rugose corals and the Frasnian-Famennian crisis (Sorauf, J. E., et al.) 9: 1265-1287

biogeography—fish

Paleogene: Fish otoliths from the lower Tertiary of Ellesmere Island (Schwarzhans, Werner) 6: 787-793

biogeography-graptolites

Ordovician: Tempo of earliest Ordovician graptolite faunal succession; conodont-based correlations from the Tremadocian of Quebec (Landing, Ed, et al.) 12: 1928-1949

biogeography-insects

Quaternary: Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba (Nielsen, Erik, et al.) 11: 1641-1661

biogeography-mammals

Pleistocene: A mammoth (Mammuthus primigenius) tooth from late Wisconsin deposits near Embden, North Dakota, and comments on the distribution of woolly mammoths south of the Wisconsin ice sheets
(Harington, C. R., et al.) 7: 909-918

biogeography—mollusks

Jurassic: The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Province

(Sey, I. I., et al.) 7: 1042-1045

biogeography-plants

Quaternary: Late Quaternary vegetation history of the Fishhook Bend area, Porcupine River, Alaska (Edwards, Mary E., et al.)

11: 1765-1773

- Pollen stratigraphy of Eaglenest Lake,

northeastern Alberta (Vance, R. E.) 1: 11-20

biography—general

Mathews, W. H.: W. H. Mathews symposium; a celebration—Symposium W. H. Mathews; une celebration (Greenwood, Hugh J., et al.)

6: 857-858

biologic evolution see under paleontology

Brachiopoda—Pentamerida

Silurian: The Early Silurian brachiopod Pentameroides from the Hudson Bay Lowlands, Ontario (Jisuo, Jin, et al.) 9: 1309-1317

 Ziegler's blisters in Pentameroides from a Lower Silurian fossil locality in the northeastern part of the Mascarene-Nerepis Belt, southern New Brunswick (Boucot, A. J., et al.) 9: 1437-1442

Brachiopoda-Strophomenida

Ordovician: The oldest chonetacean brachiopods (Ordovician-Silurian, Anticosti Island, Quebec) (Racheboeuf, Patrick R., et al.) 9: 1297-1308 brachiopods-biostratigraphy

Devonian: Devonian faunas of the Sainte-Helene Island breccia, Montreal, Quebec, Canada

(Boucot, A. J., et al.) 12: 2047-2056 Silurian: Silurian stratigraphy of the Hudson Bay Lowland in Quebec (Larsson, Sven Y., et al.) 3: 288-299

brachiopods-paleoecology

Silurian: The relationship between sedimentary facies and faunal associations in the Llandovery siliciclastic Ross Brook Formation, Arisaig, Nova Scotia (Hurst, J. M., et al.) 5: 705-726

British Columbia—economic geology gold ores: Early Cretaceous gold-silver mineralization in the Sylvester Allochthon, near Cassiar, north central British Columbia

(Sketchley, Dale A., et al.)

9: 1455-1458

— The Hozameen fault system and related Coquihalla serpentine belt of southwestern British Columbia

(Ray, G. E.) 7: 1022-1041 metal ores: Pleistocene glacial dispersal and history in Butte Valley, Vancouver Island, British Columbia; a feasibility study for alpine drift prospecting

(Hicock, Stephen R.) 12: 1867-1879 polymetallic ores: Exploration implications of production and location data for Agrich vein deposits, Trout Lake mining camp, southeastern B.C. (Goldsmith, L. B., et al.)

10: 1627-1640

 Genesis of the Lass vein system, Beaverdell silver camp, south-central British Columbia

(Godwin, Colin I., et al.)

silver ores: Early Cretaceous gold-silver mineralization in the Sylvester Allochthon, near Cassiar, north central British Columbia

(Sketchley, Dale A., et al.) 9: 1455-1458

 Exploration implications of production and location data for Ag-rich vein deposits, Trout Lake mining camp, southeastern B.C. (Goldsmith, L. B., et al.)

10: 1627-1640

Genesis of the Lass vein system, Beaverdell silver camp, south-central British Columbia

(Godwin, Colin I., et al.) 10: 1615-1626

British Columbia—environmental geology geologic hazards: Professor Mathews, outburst floods, and other glaciological disasters (Clarke, Garry K. C.) 6: 859-868

(Clarke, Garry K. C.)

British Columbia—geochronology

Cenozoic: The western Anahim Belt; root zone of a peralkaline magma system (Souther, J. G.) 6: 895-908

Cretaceous: Early Cretaceous gold-silver mineralization in the Sylvester Allochthon, near Cassiar, north central British Columbia

(Sketchley, Dale A., et al.)

9: 1455-1458

Holocene: Neoglaciation in the southern
Coast Mountains of British Columbia;
chronology prior to the late Neoglacial

maximum (Ryder, J. M., et al.)

(Ryder, J. M., et al.) 3: 273-287

— Revised ¹⁴C age for St. Helens Y tephra at Tonquin Pass, British Columbia (Luckman, B. H., et al.) 5: 734-736

Pleistocene: Pleistocene aminostratigraphy of the Georgia Depression, Southwest British Columbia

(Hicock, Stephen R., et al.) 3: 383-392 Quaternary: Identification and significance

Quaternary: Identification and significance of tephras encountered in a core from Mary Lake, Yoho National Park, British Columbia

(Reasoner, Mel A., et al.)

12: 1991-1999

 Radiocarbon dates from Anthony Island, Queen Charlotte Islands, and their geological and archaeological significance

(Hebda, Richard J., et al.)

12: 2071-2076

British Columbia—geomorphology fluvial features: The Lillooet terraces of

Fraser River; a palaeoenvironmental enquiry

(Ryder, June M., et al.) 6: 869-884

(Ryder, June M., et al.) 6: 869-88 British Columbia—geophysical surveys

surveys: Analysis of seismic instability of the Vancouver Island lithoprobe transect (Nyland, E., et al.) 12: 2057-2067

British Columbia—paleontology

Coelenterata: Late Ordovician solitary rugose corals preserved in life position (Elias, Robert J., et al.) 5: 739-742 ichnofossils: Probable marsupial footprints

tchnojossis: Probable marsupial footprints from the Cretaceous sediments of British Columbia (Sarjeant, W. A. S., et al.)

(Sarjeant, W. A. S., et al.)

8: 1223-1227

British Columbia—sedimentary petrology sedimentary rocks: Anisotropic fragments in strongly folded and faulted coals from the Rocky Mountain area of Southeast British Columbia

(Goodarzi, Fariborz) 2: 254-258

— Vitrinite reflectances from Eocene rocks of southern British Columbia, a regional reconnaissance

(Mathews, W. H., et al.) 2: 259-261 sedimentation: Petrology and tectonic significance of Gates Formation (Early Cretaceous) sediments in Northeast British Columbia (Leckie, Dale) 2: 129-141

British Columbia-stratigraphy

archaeology: Radiocarbon dates from Anthony Island, Queen Charlotte Islands, and their geological and archaeological significance

(Hebda, Richard J., et al.)

12: 2071-2076 changes of level: Radiocarbon dates from Anthony Island, Queen Charlotte Islands, and their geological and archaeological significance (Hebda, Richard J., et al.)

12: 2071-2076

Jurassic: Lower to Middle Jurassic (Pliensbachian to Bajocian) stratigraphy of the northern Spatsizi area, north-central British Columbia

(Thomson, Robert C., et al.)

12: 1963-1973

 The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Province (Sey, I. I., et al.)
 7: 1042-1045

Paleozoic: Imbricated terranes of the Cariboo gold belt with correlations and implications for tectonics in southeastern British Columbia (Struik, L. C.) 8: 1047-1061

Pleistocene: An early Pleistocene proglacial succession in south-central British Columbia

(Mathews, W. H., et al.)

11: 1796-1803

 Paleoclimatic implications of middle Wisconsinan pollen and a Paleosol from the Purcell Trench, south central British Columbia

(Alley, Neville F., et al.) 8: 1156-1168
— Pleistocene glacial dispersal and history in Butte Valley, Vancouver Island, British Columbia; a feasibility study for alpine drift prospecting

(Hicock, Stephen R.) 12: 1867-1879
The stratigraphy, palynology, and climatic significance of pre-middle Wisconsin Pleistocene sediments, southern Vancouver Island, British Columbia

(Alley, Neville F., et al.) 3: 369-382 Proterozoic: Imbricated terranes of the Cariboo gold belt with correlations and implications for tectonics in southeastern British Columbia

(Struik, L. C.) 8: 1047-1061 Quaternary: The Quaternary stratigraphic record of British Columbia; evidence for episodic sedimentation and erosion controlled by glaciation

(Clague, John J.) 6: 885-894
British Columbia—structural geology

structural analysis: A Middle Cretaceous dextral ductile shear in the Yellowhead Pass region; northeastern Shuswap metamorphic complex, British Columbia (Van den Driessche, Jean, et al.)

9: 1331-1342

tectonics: Deformational history of an outlier of metasedimentary rocks, Coast Plutonic Complex, British Columbia, Canada

(Douglas, Bruce J.) 6: 813-826

— Imbricated terranes of the Cariboo gold belt with correlations and implications for tectonics in southeastern British Columbia

(Struik, L. C.) 8: 1047-1061

— The Hozameen fault system and related Coquihalla serpentine belt of southwestern British Columbia (Ray, G. E.) 7: 1022-1041

British Columbia-tectonophysi-s

plate tectonics: Analysis of seismic instability of the Vancouver Island lithoprobe transect

(Nyland, E., et al.) 12: 2057-2067

burrows see ichnofossils

Cambrian see also under geochronology under Appalachians; Newfoundland; see also under stratigraphy under Nova Scotia

Cambrian-paleontology

Trilobita: Classification of the Late Cambrian trilobite Idiomesus Raymond (Ludvigsen, Rolf, et al.) 3: 300-307

Canada see also Alberta; Appalachians; British Columbia; Canadian Shield; Great Lakes; Great Plains; Labrador; Manitoba; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Quebec; Rocky Mountains; Saskatchewan; Yukon Territory

Canada—economic geology

silver ores: Silver vein deposits—Des gites de filons d'argent (Andrews, Anthony J., et al.)

10: 1459-1640

 Silver vein deposits; summary of recent research (Andrews, Anthony J.) 10: 1460-1462

Canada—geochemistry

trace elements: Triassic olivine-normative diabase from Northumberland Strait, Eastern Canada; implications for continental rifting (Pe-Piper, Georgia, et al.)

7: 1013-1021

Canada—geochronology

Triassic: Triassic olivine-normative diabase from Northumberland Strait, Eastern Canada; implications for continental rifting (Pe-Piper, Georgia, et al.)

7: 1013-1021

Canada—oceanography

continental shelf: Estimates of terrestrial heat flow in offshore Eastern Canada [discussion and reply] (Issler, Dale R., et al.) 12: 2083-2086

Canada—stratigraphy

Ordovician: Lower Ordovician chitinozoan assemblages from Eastern Canada (Achab, Aicha) 5: 682-695

Canada—tectonophysics

crust: Crustal section across the polar continent-ocean transition in Canada (Sobczak, L. W., et al.) 5: 608-621

Canadian Shield—economic geology

base metals: Trace-element geochemistry of ore-associated and barren, felsic metavolcanic rocks in the Superior Province, Canada

(Lesher, C. M., et al.) 2: 222-237 gold ores: A new look at the stratigraphy of the Yellowknife Supergroup at Yellowknife, N.W.T.; implications for the age of gold-bearing shear zones and Archean basin evolution (Helmstaedt, Herwart, et al.)

4: 454-475

Canadian Shield—geochemistry

crust: Nd evidence for extensive Archean basement in the western Churchill Province, Canada

(Frost, C. D., et al.) 9: 1433-1437 trace elements: Combined oxygen isotopecompositional studies of some granitoids from the Grenville Province of Ontario, Canada; implications for source regions (Wu, Tsai-Way, et al.) 9: 1412-1432

 Geochemistry of the felsic metavolcanic rocks of the Wakeham Group; a metamorphosed peralkaline suite from the eastern Grenville Province, Quebec, Canada

(Bourne, James H.) 7: 978-984

Trace-element geochemistry of ore-associated and barren, felsic metavolcanic rocks in the Superior Province, Canada (Lesher, C. M., et al.) 2: 222-237

Canadian Shield—geochronology

Archean: Crustal evolution of Archean rocks in the Kakagi Lake area, Wabigoon Subprovince, Ontario, as interpreted from high-precision U-Pb geochronolo-

(Davis, D. W., et al.) 2: 182-192

Nd evidence for extensive Archean basement in the western Churchill Province. Canada

(Frost, C. D., et al.) 9: 1433-1437

— U-Pb ages for late magmatism and regional deformation in the Shebandowan Belt, Superior Province, Canada

(Corfu, F., et al.) 8: 1075-1082

— U-Pb zircon ages for rocks from the Island Lake greenstone belt, Manitoba (Turek, A., et al.) 1: 92-101

U-Pb zircon ages in supracrustal and plutonic rocks; North Spirit Lake area, northwestern Ontario (Corfu, F., et al.)
 7: 967-977

Precambrian: Geochronology of the Big Spruce Lake alkaline intrusion (Cavell, P. A., et al.) 1: 1-10

 U-Pb zircon ages for magmatism in the Red Lake greenstone belt, northwestern Ontario (Corfu, F., et al.)
 1: 27-42

Canadian Shield—petrology

metamorphism: Metamorphism of the Arseno Lake area, N.W.T., Canada; an Abukuma facies series of Aphebian age (Nielsen, Peter A.) 5: 646-669

Canadian Shield—stratigraphy

Archean: A new look at the stratigraphy of
the Yellowknife Supergroup at Yellowknife, N.W.T.; implications for the age of
gold-bearing shear zones and Archean
basin evolution

(Helmstaedt, Herwart, et al.)

4: 454-475

— Archean wrench fault tectonics and structural evolution of the Blake River Group, Abitibi Belt, Quebec [discussion]

(Bradshaw, R. J.) 11: 1864-1865
Precambrian: Paleomagnetism, structure, and longitudinal correlation of middle Precambrian dykes from northwestern Ontario and Minnesota (Halls, H. C.) 2: 142-157

Canadian Shield-structural geology

folds: Folds and folding in the Beardmore-Geraldton fold belt

(Kehlenbeck, M. M.) 2: 158-171 structural analysis: The Amer Belt; remnant of an Aphebian foreland fold and thrust helt

(Patterson, Judith G.) 12: 2012-2023 tectonics: Evolution of the Boothia Uplift, Arctic Canada

(Okulitch, Andrew V., et al.)

3-350-358 - The tectonic significance of some basic dyke swarms in the Canadian Superior Province with special reference to the geochemistry and paleomagnetism of the Mistassini swarm, Quebec, Canada (Fahrig, W. F., et al.) 2: 238-253

Canadian Shield-tectonophysics

crust: Crustal evolution of Archean rocks in the Kakagi Lake area, Wabigoon Subprovince, Ontario, as interpreted from high-precision U-Pb geochronology 2: 182-192

(Davis, D. W., et al.) plate tectonics: The tectonic significance of some basic dyke swarms in the Canadian Superior Province with special reference to the geochemistry and paleomagnetism of the Mistassini swarm, Quebec, Canada

(Fahrig, W. F., et al.) 2: 238-253

carbon-isotopes

C-13/C-12: Archean lamprophyre dykes and gold mineralization, Matheson, Ontario; the conjunction of LILE-enriched mafic magmas, deep crustal structures, and Au concentration

(McNeil, A. M., et al.) 3: 324-343 - Fluids in cupriferous dolostones and dolomite veins, Proterozoic Dunphy Formation, Labrador Trough 11: 1709-1723 (Schrijver, K., et al.)

 Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits, Northwest Territories

(Changkakoti, A., et al.) 10: 1463-1469 The silver deposits at Cobalt and Gowganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions 10: 1519-1550

(Kerrich, R., et al.)

carbonate rocks see under sedimentary rocks Carboniferous see also Pennsylvanian; see also

under stratigraphy under Quebec Caribbean region see also the individual coun-

Carpathians see also the individual countries

Cenozoic see also under geochronology under British Columbia

changes of level see also under geomorphology under Great Lakes; see also under stratigraphy under British Columbia; Northwest **Territories**

clastic rocks see under sedimentary rocks

clastic sediments see under sediments

clay mineralogy—areal studies

Nova Scotia: Age estimation of the Shulie Lake and Eatonville tills in Nova Scotia by pedogenic development

(Wang, C., et al.) 1: 115-119 Yukon Territory: Stratigraphic, isotopic, and mineralogical evidence for an early Holocene thaw unconformity at Mayo, Yukon Territory (Burn, C. R., et al.) 6: 794-803

climate, ancient see paleoclimatology

coal see also under economic geology under Alberta; see also under organic residues under sedimentary rocks

cobalt ores see also under economic geology under Morocco

Coelenterata see also corals

Coelenterata—Rugosa

Devonian: Late Devonian rugose corals and the Frasnian-Famennian crisis (Sorauf, J. E., et al.) 9: 1265-1287

Ordovician: Late Ordovician solitary rugose corals preserved in life position (Elias, Robert J., et al.) 5: 739-742

Colorado Plateau see also the individual states

Columbia Plateau see also the individual states

columbium see niobium

concretions see under secondary structures under sedimentary structures

congresses see symposia

Conodonta—morphology Devonian: Quantification of outlines in Frasnian (Upper Devonian) platform conodonts

(Klapper, Gilbert, et al.) 8: 1214-1222

conodonts-biostratigraphy Carboniferous: Windsor Group (Lower Carboniferous) conodont biostratigraphy and palaeoecology, Magdalen Islands, Quebec, Canada

(Plint, Hilary A., et al.) 4: 439-453 Devonian: Quantification of outlines in Frasnian (Upper Devonian) platform conodonts

(Klapper, Gilbert, et al.) 8: 1214-1222 Ordovician: Tempo of earliest Ordovician graptolite faunal succession: conodontbased correlations from the Tremadocian of Quebec

(Landing, Ed, et al.) 12: 1928-1949 continental margin see also under oceanogra-

phy under Newfoundland continental shelf see also under oceanography under Canada; Labrador; Nova Scotia

copper ores see also under economic geology under Quebec

corals see also Coelenterata

corals-biostratigraphy

Devonian: Devonian faunas of the Sainte-Helene Island breccia, Montreal, Quebec, Canada

(Boucot, A. J., et al.) 12: 2047-2056 Ordovician: Saffordophyllum and evidence for thrusting in the Cobbs Arm Sequence, Newfoundland

(Williams, P. F., et al.) 8: 1228-1231 Silurian: Silurian stratigraphy of the Hud-

son Bay Lowland in Quebec (Larsson, Sven Y., et al.) 3: 288-299 corals-paleoecology

Devonian: Late Devonian rugose corals and the Frasnian-Famennian crisis (Sorauf, J. E., et al.) 9-1265-1287

Cretaceous see also under geochronology under British Columbia; Yukon Territory; see also under stratigraphy under Alberta; Rocky Mountains

crust see also under geochemistry under Canadian Shield: see also under tectonophysics under Arctic Ocean: Canada: Canadian Shield; Greenland; North Dakota; Northwest Territories; South Dakota

crystal chemistry see also minerals

crystal growth see also minerals

crystal structure see also minerals

data processing-geomorphology

glacial geology: Measuring glacier-motion fluctuations using a computer-controlled survey system (Clarke, Garry K. C., et al.) 5: 727-733

data processing-geophysical methods

seismic methods: Post-stack depth migration in the frequency-space domain (Kelamis, Panos G., et al.) 6: 839-848

data processing-sedimentary petrology sediments: A microcomputer program for the ASTM method of grain-size analysis (Mackenzie, R. L., et al.) 5: 737-739

deformation see also structural analysis

deformation-field studies

shear: A Middle Cretaceous dextral ductile shear in the Yellowhead Pass region; northeastern Shuswap metamorphic complex, British Columbia (Van den Driessche, Jean, et al.)

9: 1331-1342

deposition of ores see mineral deposits, gene-

deuterium see also hydrogen

deuterium-geochemistry

ice: Isotope geochemistry of frost-blister ice, North Fork Pass, Yukon, Canada 4: 543-549 (Michel, Frederick A.) silver ores: Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits. Northwest Territories (Changkakoti, A., et al.) 10: 1463-1469

- The silver deposits at Cobalt and Gowganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions 10: 1519-1550

(Kerrich, R., et al.)

Devonian see also under stratigraphy under Ouebec

Devonian-paleontology

Coelenterata: Late Devonian rugose corals and the Frasnian-Famennian crisis 9: 1265-1287 (Sorauf, J. E., et al.)

Devonian-stratigraphy

biostratigraphy: Quantification of outlines in Frasnian (Upper Devonian) platform conodonts (Klapper, Gilbert, et al.) 8: 1214-1222

diabase see under igneous rocks

diagenesis see also sedimentation

diagenesis-materials

limestone: Erratum; Limestone diagenesis of Upper Devonian Nisku carbonates in the subsurface of central Alberta (Machel, Hans G.) 12: 2087

 Limestone diagenesis of Upper Devonian Nisku carbonates in the subsurface of central Alberta

(Machel, Hans G.) 11: 1804-1822

diastrophism see orogeny

differentiation see under magmas

dikes see under intrusions

Dinoflagellata see under palynomorphs

dolomite see under minerals under isotopes drumlins see under glacial features under glacial geology

Earth-magnetic field

pole positions: Relocation of the north magnetic dip pole

(Newitt, L. R., et al.) 8: 1062-1067 earthquakes see under geologic hazards; seismology; see also engineering geology; seismology; see also under engineering geology under Alberta; see also under seismology under Ouebec

Eastern Hemisphere see also Arctic Ocean; Atlantic Ocean; USSR

ecology-foraminifers

marine environment: Distribution of Recent benthonic foraminifera near Sable Island, Nova Scotia (Medioli, F. S., et al.) 7: 985-1000

(Medioli, F. S., et al.) 7: 985-1000 engineering geology see also deformation; geodesy; geologic hazards; geophysical methods; ground water; marine installations; mining geology; rock mechanics

engineering geology—petroleum

engineering

recovery: Earthquakes near Rocky Mountain House, Alberta, and their relationship to gas production facilities

(Wetmiller, Robert J.) 2: 172-181 environmental geology see also ecology; engineering geology; geologic hazards

eolian features see under geomorphology

epeirogeny see also orogeny erosion features see under geomorphology

erosion surfaces see under erosion features under geomorphology

eruptive rocks see igneous rocks

Europe see also Finland

experimental studies see under fluid inclusions

Far East see also the individual countries faulting see faults

faults see also folds

faults-displacements

strike-slip faults: Tectonic significance of the Carboniferous Big Pond basin, Cape Breton Island, Nova Scotia (Bradley, Dwight C., et al.)

12: 2000-2011

thrust faults: Fission-track dating of the tectonic development of the San Juan Islands, Washington (Johnson, Samuel Y., et al.)

9: 1318-1330

Petrologic and structural study of ductile Himalayan thrust faulting across the Everest-Makalu area, eastern Nepal (Brunel, Maurice, et al.) 8: 1117-1137

 Saffordophyllum and evidence for thrusting in the Cobbs Arm Sequence, Newfoundland

(Williams, P. F., et al.)
 8: 1228-1231
 The Amer Belt; remnant of an Aphebian foreland fold and thrust belt
 (Patterson, Judith G.)
 12: 2012-2023

wrench faults: Archean wrench fault tectonics and structural evolution of the Blake River Group, Abitibi Belt, Quebec [discussion] (Bradshaw, R. J.) 11: 1864-1865

faults-distribution

fault zones: Occurrence and possible tectonic significance of high-pressure granulite fragments in the Tulemalu fault zone, District of Keewatin, N.W.T., Canada

(Tella, S., et al.) 12: 1950-1962 metamorphic belts: The Hozameen fault system and related Coquihalla serpentine belt of southwestern British Columbia

(Ray, G. E.) 7: 1022-1041

faults-effects

shear zones: A Middle Cretaceous dextral ductile shear in the Yellowhead Pass region; northeastern Shuswap metamorphic complex, British Columbia (Van den Driessche, Jean, et al.)

9: 1331-1342

— A new look at the stratigraphy of the Yellowknife Supergroup at Yellowknife, N.W.T.; implications for the age of goldbearing shear zones and Archean basin evolution (Helmstaedt, Herwart, et al.)

4: 454-475

faults-systems

grabens: The Double Mer Formation and the Lake Melville rift system, eastern Labrador (Gower, Charles F., et al.) 3: 359-368

Finland—engineering geology

waste disposal: A new technique for sampling water and gas from deep drill holes (Nurmi, Pekka A., et al.) 9: 1450-1454

fish see also Pisces

fish-biostratigraphy

Paleogene: Fish otoliths from the lower Tertiary of Ellesmere Island (Schwarzhans, Werner) 6: 787-793

fission-track dating see under geochronology

fluid inclusions see also inclusions

fluid inclusions—experimental studies

physical properties: Fluids in cupriferous dolostones and dolomite veins, Proterozoic Dunphy Formation, Labrador Trough (Schrijver, K., et al.) 11: 1709-1723

fluid inclusions-geochemistry

ore-forming fluids: Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits, Northwest Territories (Changkakoti, A., et al.) 10: 1463-1469

fluid inclusions—geologic thermometry

ore-forming fluids: Genesis of the Lass vein system, Beaverdell silver camp, southcentral British Columbia (Godwin, Colin I., et al.)

10: 1615-1626

 Silver deposits associated with the Proterozoic rocks of the Thunder Bay District, Ontario (Franklin, J. M., et al.) 10: 1576-1591

The silver deposits at Cobalt and Gowganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions

(Kerrich, R., et al.) 10: 1519-1550

— Vein, manto, and chimney mineralization at the Fresnillo silver-lead-zinc mine, Mexico

(Macdonald, A. James, et al.)

10: 1603-1614 fluvial features see under geomorphology

folding see folds

folds see also faults folds—distribution

fold belts: The Amer Belt; remnant of an Aphebian foreland fold and thrust belt (Patterson, Judith G.) 12: 2012-2023

folds-orientation

superposed folds: Folds and folding in the Beardmore-Geraldton fold belt

(Kehlenbeck, M. M.)
 2: 158-171
 Multiple folding and pluton emplacement in Archean migmatites of the southern Vermilion granitic complex, northeastern Minnesota
 (Bauer, Robert L.)
 11: 1753-1764

foliation see also folds; structural analysis

foraminifera see also foraminifers

foraminifers-biostratigraphy

Quaternary: Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba (Nielsen, Erik, et al.) 11: 1641-1661

foraminifers—ecology

marine environment: Distribution of Recent benthonic foraminifera near Sable Island, Nova Scotia (Medioli, F. S., et al.) 7: 985-1000

fossils see appropriate fossil group

foundations see also rock mechanics

fuel resources see also under economic geology under Atlantic Ocean

gas inclusions see fluid inclusions

genesis of ore deposits see mineral deposits, genesis

geochemistry-methods

alpha scintillation: An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments (Huntley, D. J., et al.) 7: 959-966

geochronology see also absolute age

geochronology-fission-track dating

Mesozoic: Fission-track dating of the tectonic development of the San Juan Islands, Washington (Johnson, Samuel Y., et al.)

9: 1318-1330

geochronology-paleomagnetism

silver ores: The silver deposits at Cobalt and Gowganda, Ontario; II, An experiment in age determinations employing radiometric and paleomagnetic measurements

(Andrews, Anthony J., et al.)

10: 1507-1518

geochronology-racemization

correlation: Glacial geology and Quaternary marine stratigraphy of the Robeson Channel area, northeastern Ellesmere Island, Northwest Territories

(Retelle, Michael J.) 7: 1001-1012 Pleistocene aminostratigraphy of the Georgia Depression, Southwest British Columbia

(Hicock, Stephen R., et al.) 3: 383-392 shells: Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba (Nielsen, Erik, et al.) 11: 1641-1661

geochronology-tephrochronology

dates: Revised 14C age for St. Helens Y tephra at Tonquin Pass, British Columbia (Luckman, B. H., et al.) 5: 734-736

discriminant analysis: Using discriminant function analysis to identify Holocene tephras based on magnetite composition; a case study from the Sunwapta Pass area, Jasper National Park

(Beaudoin, A. B., et al.) 6: 804-812 glaciation: Identification and significance of tephras encountered in a core from Mary Lake, Yoho National Park, British Columbia

(Reasoner, Mel A., et al.)

12: 1991-1999 loess: Quaternary events in the Elkwater Lake area of southeastern Alberta (Vreeken, Willem J.) 12: 2024-2038

geochronology-thermoluminescence

techniques: An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments 7: 959-966 (Huntley, D. J., et al.)

geodesy-geoid

changes: On deglaciation-induced perturbations of the geoid (Wolf, Detlef) 2: 269-272

geodesy-methods

instruments: Measuring glacier-motion fluctuations using a computer-controlled survey system (Clarke, Garry K. C., et al.) 5: 727-733

geoid see under geodesy

geologic hazards see also under environmental geology under British Columbia

geologic hazards-earthquakes

periodicity: A method for determining the frequency of large-magnitude earthquakes using lake sediments (Doig, Ronald) 7: 930-937

geologic thermometry see under fluid inclu-

geologic time see absolute age; geochronology geomorphology see also glacial geology

geomorphology-data processing

glacial geology: Measuring glacier-motion fluctuations using a computer-controlled survey system (Clarke, Garry K. C., et al.) 5: 727-733

geomorphology-eolian features

continental dunes: Development of hybrid aeolian dunes; the William River dune field, Northwest Saskatchewan, Canada (Carson, M. A., et al.) 12: 1974-1990

geomorphology-erosion features

erosion surfaces: Quaternary events in the Elkwater Lake area of southeastern Al-(Vreeken, Willem J.) 12: 2024-2038

geomorphology-fluvial features

terraces: The Lillooet terraces of Fraser River; a palaeoenvironmental enquiry (Ryder, June M., et al.) 6: 869-884

geomorphology-landform evolution

buried valleys: A gravity survey of the Dundas buried valley west of Copetown, On-

(Greenhouse, John P., et al.)

1: 110-114 peat bogs: Origin and evolution of the Keswick (Ontario) peat bog, based on pollen and macrofossil analyses (Dinel, H., et al.) 8: 1145-1155

geomorphology-volcanic features

dikes: The western Anahim Belt; root zone of a peralkaline magma system (Souther, J. G.) 6: 895-908

geophysical methods see under data processing; mineral exploration

geophysical methods-seismic methods

interpretation: Post-stack depth migration in the frequency-space domain (Kelamis, Panos G., et al.) 6: 839-848

geophysical surveys see under Atlantic Ocean: British Columbia; Northwest Territories; Ontario; see acoustical surveys under geophysical surveys under Atlantic Ocean; see gravity surveys under geophysical surveys under Northwest Territories; Ontario; see magnetic surveys under geophysical surveys under Northwest Territories; see seismic surveys under geophysical surveys under Atlantic Ocean; see surveys under geophysical surveys under British Columbia; see also geophysical methods

geophysics see also deformation; engineering geology

geosynclines see also orogeny

geotechnics see engineering geology

geothermal gradient see under heat flow

geothermics see heat flow

glacial geology see also geomorphology

glacial geology—glacial features

caves: Ice-push caves in platform limestones of the Montreal area 11: 1842-1851

(Schroeder, J., et al.) drumlins: Inverse-graded units within till in drumlins near Caledonia, southern Ontario 6: 774-786 (Menzies, J.)

glacial geology-glaciation

deglaciation: Identification and significance of tephras encountered in a core from Mary Lake, Yoho National Park, British Columbia

(Reasoner, Mel A., et al.)

12: 1991-1999 - Late Quaternary glacial and sea-level events, Clements Markham Inlet, northern Ellesmere Island, Arctic Canada (Bednarski, Jan) 9: 1343-1355 - On deglaciation-induced perturbations

of the geoid (Wolf, Detlef) 2: 269-272

deposition: An early Pleistocene proglacial succession in south-central British Co-

(Mathews, W. H., et al.)

11-1796-1803 - The late Wisconsinan olistostrome of the lower Coppermine River valley, Northwest Territories (St-Onge, Denis A., et al.)

11: 1700-1708

- Till variability and compositional stratification; examples from the Port Huron Lobe (Broster, Bruce E.) 11: 1823-1841

evolution: Stratigraphy, paleoecology, and glacial history of the Gillam area,

(Nielsen, Erik, et al.) 11: 1641-1661 glacial extent: Glacial geomorphology and chronology in the Selamiut Range -Nachvak Fiord area, Torngat Mountains, Labrador

(Evans, David J. A., et al.) Quaternary events in the Elkwater Lake area of southeastern Alberta

(Vreeken, Willem J.) 12: 2024-2038 ice movement: Former southwesterly ice flows in the Abitibi-Timiskaming region: implications for the configuration of the late Wisconsinan ice sheet

(Veillette, J. J.) 11: 1724-1741 Glacial geology and Quaternary marine stratigraphy of the Robeson Channel area, northeastern Ellesmere Island, Northwest Territories

(Retelle, Michael J.) 7: 1001-1012 - Pleistocene glacial dispersal and history in Butte Valley, Vancouver Island, British Columbia; a feasibility study for alpine drift prospecting

(Hicock, Stephen R.) 12: 1867-1879 periodicity: The Quaternary stratigraphic record of British Columbia: evidence for episodic sedimentation and erosion controlled by glaciation

(Clague, John J.) 6: 885-894

glacial geology-glaciers

floods: Professor Mathews, outburst floods, and other glaciological disasters (Clarke, Garry K. C.) 6: 859-868

ice movement: Measuring glacier-motion fluctuations using a computer-controlled survey system

(Clarke, Garry K. C., et al.) 5: 727-733 Neoglaciation in the southern Coast

Mountains of British Columbia; chronology prior to the late Neoglacial maximum

(Ryder, J. M., et al.) 3: 273-287

glacial geology-periglacial features

frost blisters: Isotope geochemistry of frostblister ice, North Fork Pass, Yukon, Canada

(Michel, Frederick A.) 4: 543-549
ice wedges: The first 7 years (1978-1985) of
ice wedge growth, Illisarvik experimental drained lake site, western Arctic
coast
(Mackay, J. Ross) 11: 1782-1795

(Mackay, J. Ross) 11: 1782-1795 permafrost: Ground ice conditions near Rea Point and on Sabine Peninsula, eastern Melville Island

(French, H. M., et al.) 9: 1389-1400
— Stratigraphic, isotopic, and mineralogical evidence for an early Holocene thaw unconformity at Mayo, Yukon Territory (Burn, C. R., et al.) 6: 794-803

glaciation see under glacial geology

glaciers see under glacial geology

gold ores see also under economic geology under Alberta; British Columbia; Canadian Shield; Northwest Territories; Ontario; Quebec; Yukon Territory

grabens see under systems under faults

graded bedding see under planar bedding structures under sedimentary structures

granites see under igneous rocks

granodiorites see under igneous rocks

graptolites see also Graptolithina

graptolites—biostratigraphy

Ordovician: A new early Tremadoc (La1) graptolite faunule from western Newfoundland; its Australian affinity and biofacies relations (Erdtmann, Bernd D., et al.)

6: 766-773

— Tempo of earliest Ordovician graptolite faunal succession; conodont-based correlations from the Tremadocian of Que-

(Landing, Ed, et al.) 12: 1928-1949

Graptolithina see also graptolites

Graptolithina-Dendroidea

Ordovician: A new early Tremadoc (La1) graptolite faunule from western Newfoundland; its Australian affinity and biofacies relations (Erdtmann, Bernd D., et al.)

6: 766-773

Silurian: The Thallograptus and Diplospirograptus from the Silurian Eramosa Member in Hamilton (Ontario, Canada) (Hewitt, R. A., et al.) 6: 849-853

Graptolithina-Monograptina

Silurian: A synrhabdosome of Saetograptus fritschi cf. linearis (Boucek) from Cornwallis Island, Arctic Canada (Lenz, A. C., et al.) 11: 1854-1857

Uncompressed specimens of Monograptus turriculatus (Barrande, 1850) from Cornwallis Island, Arctic Canada (Melchin, M. J., et al.)
 4: 579-582

gravity surveys see under geophysical surveys under Northwest Territories; Ontario Great Basin see also the individual states

Great Lakes-geomorphology

changes of level: The Lake Nipissing transgression in the Saginaw Bay region, Michigan (Monaghan, G. W., et al.)

11: 1851-1854

Great Lakes—sedimentary petrology

sediments: Distribution of biogenic silica in the surficial sediments of Lake Michigan (Conley, Daniel J., et al.) 9: 1442-1449 Great Lakes region see also the individual

states and provinces

Great Plains see also the individual states and provinces

Great Plains-soils

salinity: In situ measurements of moisture and salt movement in freezing soils (Gray, D. M., et al.) 5: 696-704

Greenland-tectonophysics

crust: The Nares Strait gravity anomaly and its implications for crustal structure [discussion and reply]

(Dawes, Peter R., et al.) 12: 2077-2082 ground water see also hydrogeology; hydrolo-

ground water-composition

sampling: A new technique for sampling water and gas from deep drill holes (Nurmi, Pekka A., et al.) 9: 1450-1454

ground water-surveys

Alberta: Structure and function of a conduit aquifer (Smart. C. C., et al.) 7: 919-929

Ontario: Hydrochemical interpretation of groundwater flow systems in Quaternary sediments of southern Ontario (Howard, K. W. F., et al.) 7: 938-947

Gulf Coastal Plain see also the individual states and countries

heat flow see also under tectonophysics under Atlantic Ocean

heat flow-geothermal gradient

measurement: On the effects of thermal properties structure and water bottom temperature variation on temperature gradients in lake sediments (Wang, K., et al.) 9: 1257-1264

(Wang, K., et al.) 9: 1257-126 heavy minerals see also placers; titanium

Himalayas see also the individual countries Himalayas—petrology

metamorphism: Petrologic and structural study of ductile Himalayan thrust faulting across the Everest-Makalu area, eastern Nepal

(Brunel, Maurice, et al.) 8: 1117-1137 Holocene see also under geochronology under Alberta; British Columbia; Michigan; see also under stratigraphy under Nova Scotia; Ontario; Yukon Territory

hydrogen see also deuterium

hydrogen-isotopes

D/H: Isotope geochemistry of frost-blister ice, North Fork Pass, Yukon, Canada (Michel, Frederick A.) 4: 543-549

 Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits, Northwest Territories (Changkakoti, A., et al.) 10: 1463-1469 The silver deposits at Cobalt and Gowganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions
 (Kerrich, R., et al.) 10: 1519-1550

hydrogeology see also ground water; hydrolo-

hydrogeology-techniques

sampling: A new technique for sampling water and gas from deep drill holes (Nurmi, Pekka A., et al.) 9: 1450-1454

hydrology see also ground water; hydrogeology

hydrology—limnology

thermal regime: On the effects of thermal properties structure and water bottom temperature variation on temperature gradients in lake sediments (Wang, K., et al.) 9: 1257-1264

hydrology-surveys

British Columbia: Professor Mathews, outburst floods, and other glaciological disasters

(Clarke, Garry K. C.) 6: 859-868 Fraser River: The Lillooet terraces of Fraser River; a palaeoenvironmental enquiry (Ryder, June M., et al.) 6: 869-884

Lake Michigan: Distribution of biogenic silica in the surficial sediments of Lake Michigan (Conley, Daniel J., et al.) 9: 1442-1449

hydrothermal processes see under polymetallic ores under mineral deposits, genesis

ice ages see glacial geology

ichnofossils-morphology

Cretaceous: The trace fossil Yakutatia emersoni from the Cretaceous Kodiak Formation of Alaska (McCann, T., et al.) 2: 262-269

ichnofossils-occurrence

Cretaceous: Probable marsupial footprints from the Cretaceous sediments of British Columbia (Sarjeant, W. A. S., et al.)

8: 1223-1227

Idaho—geochronology

Proterozoic: U-Pb geochronology of two augen gneiss terranes, Idaho; new data and tectonic implications (Evans, Karl V., et al.) 12: 1919-1927

igneous rocks see also fluid inclusions; inclusions; intrusions; lava; magmas; metamorphic rocks; metasomatism

igneous rocks-diabase

geochemistry: Triassic olivine-normative diabase from Northumberland Strait, Eastern Canada; implications for continental rifting (Pe-Piper, Georgia, et al.)

7: 1013-1021 etrology and geochemistry of

petrology: Petrology and geochemistry of the early Mesozoic Caraquet Dyke, New Brunswick, Canada (Greenough, John D., et al.)

2: 193-201

igneous rocks-geochemistry

elements: Archean lamprophyre dykes and gold mineralization. Matheson, Ontario; the conjunction of LILEenriched mafic magmas, deep crustal structures, and Au concentration

(McNeil, A. M., et al.) 3: 324-343 - Geochemical constraints on the differentiation processes that were active in the Sept Iles Complex

(Higgins, Michael D., et al.)

5: 670-681 - The tectonic significance of some basic dyke swarms in the Canadian Superior Province with special reference to the geochemistry and paleomagnetism of the Mistassini swarm, Quebec, Canada (Fahrig, W. F., et al.) 2: 238-253

igneous rocks-granites

geochemistry: Geochemical trends in the Ackley Granite, Southeast Newfoundland; their relevance to magmatic-metallogenic processes in high-silica granitoid systems

(Tuach, J., et al.) 6: 747-765

igneous rocks-granodiorites

genesis: The Cheticamp Pluton; a Cambrian granodioritic intrusion in the western Cape Breton Highlands, Nova Scotia (Barr, Sandra M., et al.) 11: 1686-1699 igneous rocks-lamprophyres

petrology: Alkaline mafic and ultramafic lamprophyres from the Aillik Bay area, Labrador

(Malpas, J., et al.)

igneous rocks—plutonic rocks

genesis: The Mont Saint Hilaire plutonic complex; occurrence of excess 40Ar and short intrusion history

(Gilbert, Lisa A., et al.) 7: 948-958 magnetic properties: Interpretation of magnetic susceptibility; a new approach to geophysical evaluation of the degree of rock alteration (Lapointe, P., et al.) 3: 393-401

igneous rocks-ultramafics

ophiolite: Geochronology of ophiolites of the Newfoundland Appalachians [discussion and reply] (Mattinson, James M., et al.)

11: 1860-1864

- The geochemistry and petrogenesis of ophiolitic volcanic rocks from Lac de l'Est, Thetford Mines Complex, Quebec, Canada (Oshin, I. O., et al.) 2: 202-213

igneous rocks-volcanic rocks

geochemistry: Petrochemistry and tectonic significance of Carboniferous volcanic rocks in New Brunswick 9: 1243-1256

(Fyffe, L. R., et al.) petrology: The western Anahim Belt; root zone of a peralkaline magma system 6: 895-908 (Souther, J. G.)

inclusions see also fluid inclusions

inclusions-xenoliths

granulites: Occurrence and possible tec-tonic significance of high-pressure granulite fragments in the Tulemalu fault zone, District of Keewatin, N.W.T., Canada

(Tella, S., et al.) 12: 1950-1962

insects-biostratigraphy

Quaternary: Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba

(Nielsen, Erik, et al.) 11: 1641-1661 instruments see under methods under geodesy intrusions see also igneous rocks; metamorphism; metasomatism

intrusions—age

absolute age: Geochronology of the Big Spruce Lake alkaline intrusion 1: 1-10

(Cavell, P. A., et al.) - Rb-Sr dating of the Bokan Mountain granite complex and its country rocks [discussion and reply]

(de Saint-Andre, B., et al.) 5: 743-745 U-Pb ages for late magmatism and regional deformation in the Shebandowan Belt, Superior Province, Canada 8: 1075-1082

(Corfu, F., et al.) U-Pb zircon ages for rocks from the Island Lake greenstone belt, Manitoba (Turek, A., et al.) 1: 92-101

intrusions-composition

complexes: Geochemical constraints on the differentiation processes that were active in the Sept Iles Complex (Higgins, Michael D., et al.)

5: 670-681

intrusions-dikes

dike swarms: Alkaline mafic and ultramafic lamprophyres from the Aillik Bay area, Labrador

(Malpas, J., et al.) 12: 1902-1918 Paleomagnetism, structure, and longitudinal correlation of middle Precambrian dykes from northwestern Ontario

and Minnesota

(Halls, H. C.) 2: 142-157 The tectonic significance of some basic dyke swarms in the Canadian Superior Province with special reference to the geochemistry and paleomagnetism of the Mistassini swarm, Quebec, Canada

(Fahrig, W. F., et al.) 2: 238-253 emplacement: Triassic olivine-normative diabase from Northumberland Strait. Eastern Canada; implications for continental rifting

(Pe-Piper, Georgia, et al.)

7-1013-1021 geochemistry: Archean lamprophyre dykes and gold mineralization, Matheson, Ontario; the conjunction of LILE-enriched mafic magmas, deep crustal structures, and Au concentration

(McNeil, A. M., et al.) 3: 324-343 petrology: Petrology and geochemistry of the early Mesozoic Caraquet Dyke, New Brunswick, Canada

(Greenough, John D., et al.)

2: 193-201

intrusions-emplacement

age: The Mont Saint Hilaire plutonic complex; occurrence of excess 40Ar and short intrusion history 7: 948-958 (Gilbert, Lisa A., et al.)

volcanic belts: The western Anahim Belt: root zone of a peralkaline magma system (Souther, J. G.) 6: 895-908

intrusions-plutons

age: The age of igneous and metamorphic events in the western Cape Breton Highlands, Nova Scotia

(Jamieson, R. A., et al.) 12: 1891-1901 emplacement: Multiple folding and pluton emplacement in Archean migmatites of the southern Vermilion granitic complex, northeastern Minnesota

(Bauer, Robert L.) 11: 1753-1764 geochemistry: Combined oxygen isotopecompositional studies of some granitoids from the Grenville Province of Ontario, Canada; implications for source regions (Wu, Tsai-Way, et al.) 9: 1412-1432

petrology: The Cheticamp Pluton; a Cambrian granodioritic intrusion in the western Cape Breton Highlands, Nova Scotia (Barr, Sandra M., et al.) 11: 1686-1699

Invertebrata see also Brachiopoda: Coelenterata; Graptolithina; ichnofossils; Mollusca; Porifera; Trilobita

invertebrates see also brachiopods: conodonts; corals; foraminifers; graptolites; mollusks; ostracods

iridium-geochemistry

coal: The terminal Cretaceous iridium anomaly in the Red Deer Valley, Alberta, Canada (Lerbekmo, J. F., et al.) 1: 120-124

isotope dating see absolute age

isotopes see also absolute age; geochronology

isotopes—analysis

techniques: An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments (Huntley, D. J., et al.) 7: 959-966

isotopes-argon

Ar-40: The Mont Saint Hilaire plutonic complex; occurrence of excess 40Ar and short intrusion history 7: 948-958 (Gilbert, Lisa A., et al.)

isotopes-igneous rocks

stable isotopes: Archean lamprophyre dykes and gold mineralization, Matheson, Ontario; the conjunction of LILE-enriched mafic magmas, deep crustal structures, and Au concentration (McNeil, A. M., et al.) 3: 324-343

ratios: Genesis of the Lass vein system, Beaverdell silver camp, south-central British Columbia (Godwin, Colin I., et al.)

10: 1615-1626 - Lead-isotope study of mineralization in

the Cobalt District, Ontario 10: 1568-1575 (Thorpe, R. I., et al.)

isotopes-minerals

dolomite: Fluids in cupriferous dolostones and dolomite veins, Proterozoic Dunphy Formation, Labrador Trough 11: 1709-1723 (Schrijver, K., et al.)

isotopes-oxygen

O-18/O-16: Combined oxygen isotopecompositional studies of some granitoids from the Grenville Province of Ontario, Canada; implications for source regions (Wu, Tsai-Way, et al.) 9: 1412-1432

isotopes-silver ores

stable isotopes: Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits, Northwest Territo-

(Changkakoti, A., et al.) 10: 1463-1469 The silver deposits at Cobalt and Gow-ganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions (Kerrich, R., et al.) 10: 1519-1550

isotopes-sulfur

S-34/S-32: Sulphur-isotope geochemistry of silver-sulpharsenide vein mineralization, Cobalt, Ontario (Goodz, M. D., et al.)

10: 1551-1567 sulfides: Vein, manto, and chimney mineralization at the Fresnillo silver-lead-zinc mine, Mexico (Macdonald, A. James, et al.)

10: 1603-1614

isotopes-water

ice: Isotope geochemistry of frost-blister ice, North Fork Pass, Yukon, Canada (Michel, Frederick A.) 4: 543-549

Jurassic see also under geochronology under Alaska; see also under stratigraphy under Alaska; British Columbia; North America; Pacific region; USSR

Kansas-paleontology

Reptilia: Ianthasaurus hardestii n. sp., a primitive edaphosaur (Reptilia, Pelycosauria) from the Upper Pennsylvanian Rock Lake Shale near Garnett, Kansas (Reisz, Robert R., et al.) Labrador-geomorphology

glacial geology: Glacial geomorphology and chronology in the Selamiut Range -Nachvak Fiord area, Torngat Mountains, Labrador (Evans, David J. A., et al.) 1:66-76

Labrador-oceanography

continental shelf: The Quaternary geology of the Labrador Shelf (Josenhans, H. W., et al.) 8: 1190-1213

Labrador-petrology

igneous rocks: Alkaline mafic and ultramafic lamprophyres from the Aillik Bay area. Labrador 12: 1902-1918 (Malpas, J., et al.)

Labrador-stratigraphy

Quaternary: The Quaternary geology of the Labrador Shelf (Josenhans, H. W., et al.) 8: 1190-1213

Labrador-structural geology

tectonics: The Double Mer Formation and the Lake Melville rift system, eastern Labrador (Gower, Charles F., et al.) 3: 359-368

lamprophyres see under igneous rocks

land use see also under environmental geology under Ontario

landform evolution see under geomorphology lava see also igneous rocks; magmas

lava-geochemistry

trace elements: Petrogenesis of the Natkusiak continental basalts, Victoria Island, Northwest Territories, Canada (Dostal, J., et al.) 5: 622-632

- Petrology of volcanic rocks in the Archean Matagami-Chibougamau greenstone belt west of Chapais (East Abitibi, Quebec); 2, The potassium-rich Opemis-

(Picard, Christian, et al.) 8: 1169-1189 Petrology of volcanic rocks in the Archean Matagami-Chibougamou greenstone belt west of Chapais (East Abitibi, Quebec); 1, The basal Roy Group (Picard, Christian, et al.) 4: 561-578

lava-petrology

volcanic belts: The western Anahim Belt; root zone of a peralkaline magma system (Souther, J. G.) 6: 895-908

lead-isotopes

ratios: Genesis of the Lass vein system, Beaverdell silver camp, south-central British Columbia (Godwin, Colin I., et al.)

10: 1615-1626

- Lead-isotope study of mineralization in the Cobalt District, Ontario 10: 1568-1575 (Thorpe, R. I., et al.)

lead-zinc deposits see also under economic geology under Mexico

limestone see also under carbonate rocks under sedimentary rocks

limnology see under hydrology lineation see also structural analysis

liquid inclusions see fluid inclusions

loess see under tephrochronology under geochronology

magmas see also igneous rocks; intrusions; lava

magmas-classification

ophiolite: The geochemistry and petrogenesis of ophiolitic volcanic rocks from Lac de l'Est, Thetford Mines Complex, Quebec, Canada (Oshin, I. O., et al.) 2: 202-213

magmas-composition

alkalic composition: The western Anahim Belt; root zone of a peralkaline magma system (Souther, J. G.) 6: 895-908

magmas-differentiation

fractional crystallization: Geochemical constraints on the differentiation processes that were active in the Sept Iles Complex (Higgins, Michael D., et al.)

5: 670-681 - Petrogenesis of the Natkusiak continental basalts, Victoria Island, Northwest Territories, Canada

(Dostal, J., et al.) - Petrology of volcanic rocks in the Archean Matagami-Chibougamau greenstone belt west of Chapais (East Abitibi. Quebec); 2, The potassium-rich Opemis-(Picard, Christian, et al.) 8: 1169-1189 - Petrology of volcanic rocks in the Archean Matagami-Chibougamou greenstone belt west of Chapais (East Abitibi, Quebec); 1, The basal Roy Group (Picard, Christian, et al.)

magmas-geochemistry

mafic magmas: Archean lamprophyre dykes and gold mineralization, Matheson, Ontario; the conjunction of LILEenriched mafic magmas, deep crustal structures, and Au concentration 3: 324-343

(McNeil, A. M., et al.) trace elements: Geochemical trends in the Ackley Granite, Southeast Newfoundland: their relevance to magmatic-metallogenic processes in high-silica granitoid systems (Tuach, J., et al.) 6: 747-765

magnetic field see under Earth

magnetic surveys see under geophysical surveys under Northwest Territories

magnetism of rocks and minerals see paleomagnetism

Mammalia-Elephantoidea

Pleistocene: A mammoth (Mammuthus primigenius) tooth from late Wisconsin deposits near Embden, North Dakota, and comments on the distribution of woolly mammoths south of the Wisconsin ice sheets (Harington, C. R., et al.) 7: 909-918

Mammalia—Fissipeda

Pleistocene: The extinct short-faced skunk Brachyprotoma obtusata (Mammalia, Carnivora); first records for Canada and Beringia

(Youngman, Phillip M.) 3: 419-424

Mammalia-Marsupialia

Cretaceous: Probable marsupial footprints from the Cretaceous sediments of British Columbia (Sarjeant, W. A. S., et al.)

8: 1223-1227

mammals-biogeography

Pleistocene: A mammoth (Mammuthus primigenius) tooth from late Wisconsin deposits near Embden, North Dakota, and comments on the distribution of woolly mammoths south of the Wisconsin ice sheets (Harington, C. R., et al.) 7: 909-918

Manitoba-geochronology

Archean: U-Pb zircon ages for rocks from the Island Lake greenstone belt, Manitoba 1: 92-101

(Turek, A., et al.)

Manitoba-stratigraphy

Ouaternary: Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba (Nielsen, Erik, et al.)

marine installations-theoretical studies

permafrost: Thermal simulation of subsea saline permafrost 12: 2039-2046 (Nixon, J. F.)

marine sediments see under sediments

Mediterranean region see also the individual countries

meetings see symposia

Mesozoic see also under geochronology under Washington

metal ores see also under economic geology under British Columbia; Newfoundland

metamorphic rocks see also igneous rocks; metamorphism; metasomatism

metamorphic rocks-geochemistry

trace elements: The Hozameen fault system and related Coquihalla serpentine belt of southwestern British Columbia (Ray, G. E.) 7: 1022-1041

metamorphic rocks-gneisses

augen gneiss: U-Pb geochronology of two augen gneiss terranes, Idaho; new data and tectonic implications

(Evans, Karl V., et al.) 12: 1919-1927 granite gneiss: Occurrence and possible tectonic significance of high-pressure granulite fragments in the Tulemalu fault zone, District of Keewatin, N.W.T., Canada

(Tella, S., et al.) 12: 1950-1962

metamorphic rocks—metaigneous rocks metabasalt: Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabas-

altic suites in the Appalachians (Murphy, J. Brendan, et al.)

8: 1138-1144

— Petrogenesis of the Natkusiak continental basalts, Victoria Island, Northwest Territories, Canada (Dostal, J., et al.)

5: 622-632

metamorphic rocks—metaplutonic rocks geochemistry: Combined oxygen isotopecompositional studies of some granitoids from the Grenville Province of Ontario, Canada; implications for source regions

(Wu, Tsai-Way, et al.) 9: 1412-1432 magnetic properties: Interpretation of magnetic susceptibility; a new approach to geophysical evaluation of the degree of rock alteration

(Lapointe, P., et al.) 3: 393-401

metamorphic rocks—metasedimentary rocks

metadolostone: Fluids in cupriferous dolostones and dolomite veins, Proterozoic Dunphy Formation, Labrador Trough (Schrijver, K., et al.) 11: 1709-1723

metamorphic rocks-metavolcanic rocks

geochemistry: Geochemistry of the felsic metavolcanic rocks of the Wakeham Group; a metamorphosed peralkaline suite from the eastern Grenville Province, Quebec, Canada

(Bourne, James H.) 7: 978-984

— Trace-element geochemistry of ore-associated and barren, felsic metavolcanic rocks in the Superior Province, Canada (Lesher, C. M., et al.) 2: 222-237

petrology: Petrology of volcanic rocks in the Archean Matagami-Chibougamau greenstone belt west of Chapais (East Abitibi, Quebec); 2, The potassium-rich Opemisca Group

(Picard, Christian, et al.) 8: 1169-1189

— Petrology of volcanic rocks in the Archean Matagami-Chibougamou greenstone belt west of Chapais (East Abitibi.

Quebec); 1, The basal Roy Group (Picard, Christian, et al.) 4: 561-578

metamorphic rocks-mineral assemblages

facies: Metamorphic conditions of late Archean high-grade gneisses, Minnesota River valley, U.S.A. (Moecher, D. P., et al.) 5: 633-645

(Moecher, D. P., et al.) 5: 633-645

Metamorphism of the Arseno Lake area, N.W.T., Canada; an Abukuma facies series of Aphebian age

(Nielsen, Peter A.) 5: 646-669 paragenesis: Petrologic and structural study of ductile Himalayan thrust faulting across the Everest-Makalu area, eastern Nepal

(Brunel, Maurice, et al.) 8: 1117-1137

metamorphic rocks-textures

fabric: Multiple folding and pluton emplacement in Archean migmatites of the southern Vermilion granitic complex, northeastern Minnesota (Bauer, Robert L.) 11: 1753-1764

(Bauer, Robert L.) 11: 1753-1764 metamorphism see also metamorphic rocks;

metamorphism-evolution

metasomatism

absolute age: The age of igneous and metamorphic events in the western Cape Breton Highlands, Nova Scotia
(Jamieson, R. A., et al.) 12: 1891-1901

metamorphism—migration of elements

fluid phase: Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.)

8: 1138-1144

metamorphism-P-T conditions

high-grade metamorphism: Metamorphic conditions of late Archean high-grade gneisses, Minnesota River valley, U.S.A. (Moecher, D. P., et al.) 5: 633-645

xenoliths: Occurrence and possible tectonic significance of high-pressure granulite fragments in the Tulemalu fault zone, District of Keewatin, N.W.T., Canada (Tella, S., et al.) 12: 1950-1962

metamorphism—polymetamorphism

P-T conditions: Petrologic and structural study of ductile Himalayan thrust faulting across the Everest-Makalu area, eastern Nepal (Brunel, Maurice, et al.) 8: 1117-1137

metamorphism-prograde metamorphism

P-T conditions: Deformational history of an outlier of metasedimentary rocks, Coast Plutonic Complex, British Columbia, Canada

(Douglas, Bruce J.) 6: 813-826 zoning: Metamorphism of the Arseno Lake area, N.W.T., Canada; an Abukuma facies series of Aphebian age (Nielsen, Peter A.) 5: 646-669

metamorphism—regional metamorphism

absolute age: 40AI/39Ar ages for minerals from the amphibolite dynamothermal aureole, Mont Albert, Gaspe, Quebec (Lux, Daniel R.) 1: 21-26

effects: Fluids in cupriferous dolostones and dolomite veins, Proterozoic Dunphy Formation, Labrador Trough (Schrijver, K., et al.) 11: 1709-1723 metamorphism—zoning

indicators: Interpretation of magnetic susceptibility; a new approach to geophysical evaluation of the degree of rock alteration
(Lapointe, P., et al.) 3: 393-401

metasomatic rocks see also igneous rocks; metamorphic rocks; metamorphism; metasomatism

metasomatism see also metamorphism

metasomatism-geochemistry

sodium: An example of albite-uranium alkaline metasomatism in the Otish Basin, Quebec (Ruhlmann, Francois, et al.)

11. 1742

11: 1742-1752

methods see under geochemistry; geodesy

Mexico-economic geology

lead-zinc deposits: Vein, manto, and chimney mineralization at the Fresnillo silver-lead-zinc mine, Mexico (Macdonald, A. James, et al.)

10: 1603-1614 polymetallic ores: Vein, manto, and chimney mineralization at the Fresnillo silver-lead-zinc mine, Mexico

(Macdonald, A. James, et al.) 10: 1603-1614

silver ores: Vein, manto, and chimney mineralization at the Fresnillo silver-leadzinc mine, Mexico

(Macdonald, A. James, et al.)

10: 1603-1614

Michigan—geochronology
Holocene: The Lake Nipissing transgression in the Saginaw Bay region, Michigan

(Monaghan, G. W., et al.)

Michigan—stratigraphy

archaeology: The Lake Nipissing transgression in the Saginaw Bay region, Michigan (Monaghan, G. W., et al.)

11: 1

11: 1851-1854

micropaleontology see also palynology

Midwest see also Kansas; Michigan; Minnesota; North Dakota; South Dakota

mineral deposits, genesis—copper ores metamorphic processes: Fluids in cupriferous dolostones and dolomite veins, Proterozoic Dunphy Formation, Labrador Trough

(Schrijver, K., et al.) 11: 1709-1723

mineral deposits, genesis—gold ores absolute age: U-Pb zircon ages for magmatism in the Red Lake greenstone belt, northwestern Ontario

(Corfu, F., et al.) 1: 27-42 structural controls: A new look at the stratigraphy of the Yellowknife Supergroup at Yellowknife, N.W.T.; implications for the age of gold-bearing shear zones and Archean basin evolution

(Helmstaedt, Herwart, et al.)

Archean lamprophyre dykes and gold mineralization, Matheson, Ontario; the conjunction of LILE-enriched mafic magmas, deep crustal structures, and Au

concentration

(McNeil, A. M., et al.) 3: 324-343 - Archean wrench fault tectonics and structural evolution of the Blake River Group, Abitibi Belt, Quebec [discussion] (Bradshaw, R. J.) 11: 1864-1865 mineral deposits, genesis-metal ores

affinities: Geochemical trends in the Ackley Granite, Southeast Newfoundland; their relevance to magmatic-metallogenic processes in high-silica granitoid systems

(Tuach, J., et al.) ore transport: Pleistocene glacial dispersal and history in Butte Valley, Vancouver Island, British Columbia; a feasibility study for alpine drift prospecting (Hicock, Stephen R.) 12: 1867-1879

mineral deposits, genesis-polymetallic

absolute age: Early Cretaceous gold-silver mineralization in the Sylvester Allochthon, near Cassiar, north central British Columbia (Sketchley, Dale A., et al.)

9: 1455-1458

controls: Vein, manto, and chimney mineralization at the Fresnillo silver-lead-zinc mine, Mexico (Macdonald, A. James, et al.)

10: 1603-1614 hydrothermal processes: Co-Ni arsenide deposits, with accessory gold, in ultramafic rocks from Morocco

10: 1592-1602 (Leblanc, Marc) mineral deposits, genesis-silver ores

absolute age: A U-Pb age for mineralized Nipissing Diabase, Gowganda, Ontario (Corfu, F., et al.) 1: 107-109

Lead-isotope study of mineralization in the Cobalt District, Ontario

(Thorpe, R. I., et al.) 10: 1568-1575 controls: Genesis of the Lass vein system, Beaverdell silver camp, south-central British Columbia (Godwin, Colin I., et al.)

10: 1615-1626 - Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits, Northwest Territories

(Changkakoti, A., et al.) 10: 1463-1469 Silver deposits associated with the Proterozoic rocks of the Thunder Bay District, Ontario

(Franklin, J. M., et al.) 10: 1576-1591 Silver vein deposits-Des gites de filons d'argent

(Andrews, Anthony J., et al.)

10: 1459-1640 - Sulphur-isotope geochemistry of silversulpharsenide vein mineralization, Cohalt. Ontario

(Goodz, M. D., et al.) 10: 1551-1567 The silver deposits at Cobalt and Gowganda, Ontario; I, Geology, petrography, and whole-rock geochemistry (Andrews, Anthony J., et al.)

10: 1480-1506 - The silver deposits at Cobalt and Gowganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions (Kerrich, R., et al.) 10: 1519-1550

mineral deposits, genesis-uranium ores paragenesis: An example of albite-uranium alkaline metasomatism in the Otish Basin, Quebec

(Ruhlmann, François, et al.)

11: 1742-1752

mineral exploration—geochemical methods glaciated terrains: Pleistocene glacial dispersal and history in Butte Valley, Vancouver Island, British Columbia; a feasibility study for alpine drift prospecting (Hicock, Stephen R.) 12: 1867-1879

ore guides: Trace-element geochemistry of ore-associated and barren, felsic metavolcanic rocks in the Superior Province, Canada

(Lesher, C. M., et al.) 2: 222-237

mineral exploration—geophysical methods magnetic methods: Interpretation of magnetic susceptibility; a new approach to geophysical evaluation of the degree of rock alteration (Lapointe, P., et al.) 3: 393-401

mineral exploration-ore guides

glaciated terrains: Former southwesterly ice flows in the Abitibi-Timiskaming region; implications for the configuration of the late Wisconsinan ice sheet (Veillette, J. J.) 11: 1724-1741

placers: The morphology, mineralogy, and behavior of "fine-grained" gold from placer deposits of Alberta; sampling and implications for mineral exploration (Giusti, L.) 11: 1662-1672

spatial distribution: Exploration implications of production and location data for Ag-rich vein deposits, Trout Lake mining camp, southeastern B.C. (Goldsmith, L. B., et al.)

10: 1627-1640

mineral prospecting see mineral exploration mineral resources see also the individual deposits

minerals-arsenides

electron probe data: Electron microprobe analyses of native silver and associated arsenides from the Great Bear Lake silver deposits, Northwest Territories, Canada (Changkakoti, A., et al.) 10: 1470-1479

minerals-native elements

gold: The morphology, mineralogy, and behavior of "fine-grained" gold from placer deposits of Alberta; sampling and implications for mineral exploration (Giusti, L.) 11: 1662-1672

silver: Electron microprobe analyses of native silver and associated arsenides from the Great Bear Lake silver deposits, Northwest Territories, Canada (Changkakoti, A., et al.) 10: 1470-1479

mining geology—production control floods: Professor Mathews,

outburst floods, and other glaciological disasters (Clarke, Garry K. C.) 6: 859-868 Minnesota-petrology

metamorphism: Metamorphic conditions of late Archean high-grade gneisses, Minnesota River valley, U.S.A (Moecher, D. P., et al.)

Minnesota-stratigraphy

Precambrian: Paleomagnetism, structure, and longitudinal correlation of middle Precambrian dykes from northwestern Ontario and Minnesota 2: 142-157 (Halls, H. C.)

Minnesota—structural geology

tectonics: Multiple folding and pluton emplacement in Archean migmatites of the southern Vermilion granitic complex. northeastern Minnesota 11: 1753-1764 (Bauer, Robert L.)

miospores see under palynomorphs

Mollusca-Ammonoidea

Jurassic: The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Province (Sey, I. I., et al.) 7: 1042-1045

mollusks—ammonoids

Jurassic: The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Prov-7: 1042-1045 (Sey, I. I., et al.)

Morocco-economic geology

cobalt ores: Co-Ni arsenide deposits, with accessory gold, in ultramafic rocks from Morocco

(Leblanc, Marc) 10: 1592-1602 nickel ores: Co-Ni arsenide deposits, with accessory gold, in ultramafic rocks from Morocco

10: 1592-1602 (Leblanc, Marc)

mud volcanoes see also volcanology native elements see under minerals

natural gas see also under economic geology under Alberta

neodymium-geochemistry

metamorphic rocks: Nd evidence for extensive Archean basement in the western Churchill Province, Canada (Frost, C. D., et al.) 9: 1433-1437

Nepal-petrology

metamorphism: Petrologic and structural study of ductile Himalayan thrust faulting across the Everest-Makalu area, eastern Nepal (Brunel, Maurice, et al.) 8: 1117-1137

New Brunswick-geochemistry

trace elements: Petrology and geochemistry of the early Mesozoic Caraquet Dyke, New Brunswick, Canada (Greenough, John D., et al.)

2: 193-201

New Brunswick-paleontology

Brachiopoda: Ziegler's blisters in Pentameroides from a Lower Silurian fossil locality in the northeastern part of the Mascarene-Nerepis Belt, southern New Brunswick (Boucot, A. J., et al.) 9: 1437-1442

New Brunswick-petrology

igneous rocks: Petrochemistry and tectonic significance of Carboniferous volcanic rocks in New Brunswick (Fyffe, L. R., et al.) 9: 1243-1256 Newfoundland-economic geology

metal ores: Geochemical trends in the Acklev Granite, Southeast Newfoundland: their relevance to magmatic-metallogenic processes in high-silica granitoid systems

(Tuach, J., et al.) 6-747-765

Newfoundland-geochronology

Cambrian: Geochronology of ophiolites of the Newfoundland Appalachians [discussion and reply] (Mattinson, James M., et al.)

11: 1860-1864

Ordovician: Geochronology of ophiolites of the Newfoundland Appalachians [discussion and reply]

(Mattinson, James M., et al.) 11: 1860-1864

Newfoundland-oceanography

continental margin: Occurrence and regional geological setting of Paleozoic rocks on the Grand Banks of Newfoundland

(King, Lewis H., et al.) 4: 504-526

Newfoundland-sedimentary petrology sedimentary structures: Synsedimentary submarine slope failure and tectonic deformation in deep-water carbonates, Cow Head Group, western Newfoundland (Coniglio, Mario) 4: 476-490

Newfoundland-stratigraphy

Ordovician: A new early Tremadoc (La1) graptolite faunule from western Newfoundland; its Australian affinity and biofacies relations (Erdtmann, Bernd D., et al.)

6: 766-773

- Lower Ordovician chitinozoan assemblages from Eastern Canada 5: 682-695 (Achab, Aicha)

- Saffordophyllum and evidence for thrusting in the Cobbs Arm Sequence, Newfoundland

(Williams, P. F., et al.) 8: 1228-1231 - The tectonics and depositional history of the Ordovician and Silurian rocks of Notre Dame Bay, Newfoundland [discussions and reply]

(Wasowski, Janusz J., et al.)

4: 583-590 Silurian: The tectonics and depositional history of the Ordovician and Silurian rocks of Notre Dame Bay, Newfoundland [discussions and reply] (Wasowski, Janusz J., et al.)

4: 583-590 Newfoundland-structural geology

tectonics: Saffordophyllum and evidence for thrusting in the Cobbs Arm Sequence, Newfoundland

(Williams, P. F., et al.) 8: 1228-1231 - The tectonics and depositional history of the Ordovician and Silurian rocks of Notre Dame Bay, Newfoundland [discussions and reply] (Wasowski, Janusz J., et al.)

4: 583-590

nickel ores see also under economic geology under Morocco

niobium-geochemistry

metabasalt: Contrasting secondary mobility of Ti, P. Zr. Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.)

noble gases see also argon

North America see also Appalachians; Canada; Great Lakes; Great Plains; Mexico; Rocky Mountains

North America—stratigraphy

Jurassic: The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Province (Sey, I. I., et al.) 7: 1042-1045

North Dakota-stratigraphy

Pleistocene: A mammoth (Mammuthus primigenius) tooth from late Wisconsin deposits near Embden, North Dakota, and comments on the distribution of woolly mammoths south of the Wisconsin ice sheets

(Harington, C. R., et al.)

North Dakota—tectonophysics

crust: Precambrian basement geology of North and South Dakota 8: 1083-1102 (Klasner, J. S., et al.)

Northern Hemisphere see also Arctic Ocean; Atlantic Ocean: North America: USSR

Northwest Territories-economic geology gold ores: A new look at the stratigraphy of the Yellowknife Supergroup at Yellowknife, N.W.T.; implications for the age of gold-bearing shear zones and Archean basin evolution (Helmstaedt, Herwart, et al.)

4: 454-475 silver ores: Electron microprobe analyses of native silver and associated arsenides from the Great Bear Lake silver deposits, Northwest Territories, Canada

(Changkakoti, A., et al.) 10: 1470-1479 Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits, Northwest Territories (Changkakoti, A., et al.) 10: 1463-1469

Northwest Territories-engineering

permafrost: Ground ice conditions near Rea Point and on Sabine Peninsula, eastern Melville Island

9: 1389-1400 (French, H. M., et al.) Observations of soil freezing and frost heave at Inuvik, Northwest Territories, Canada [discussion and reply]

(Nixon, J. F., et al.) 3: 436-438 The first 7 years (1978-1985) of ice wedge growth, Illisarvik experimental drained lake site, western Arctic coast (Mackay, J. Ross) 11: 1782-1795

Northwest Territories—geochronology

Proterozoic: Geochronology of the Big Spruce Lake alkaline intrusion (Cavell, P. A., et al.)

Quaternary: Glacial geology and Quaternary marine stratigraphy of the Robeson Channel area, northeastern Ellesmere Island, Northwest Territories (Retelle, Michael J.) 7: 1001-1012 - Late Quaternary glacial and sea-level events, Clements Markham Inlet, northern Ellesmere Island, Arctic Canada (Bednarski, Jan) 9: 1343-1355

Northwest Territories--geophysical

surveys

8: 1138-1144

gravity surveys: Crustal section across the polar continent-ocean transition in

(Sobczak, L. W., et al.) 5: 608-621 magnetic surveys: Relocation of the north magnetic dip pole

(Newitt, L. R., et al.) 8: 1062-1067 Northwest Territories—paleontology

Graptolithina: A synrhabdosome of Saetograptus fritschi cf. linearis (Boucek) from Cornwallis Island, Arctic Canada (Lenz, A. C., et al.) 11: 1854-1857

- Uncompressed specimens of Monograptus turriculatus (Barrande, 1850) from Cornwallis Island, Arctic Canada (Melchin, M. J., et al.) 4: 579-582

Porifera: Malluviospongia, a new Devonian heteractinid sponge from the Bird Fiord Formation of southwestern Ellesmere Island, Northwest Territories, Canada

(Rigby, J. Keith, et al.) 3: 344-349

Northwest Territories-petrology

metamorphic rocks: Petrogenesis of the Natkusiak continental basalts, Victoria Island, Northwest Territories, Canada (Dostal, J., et al.) 5: 622-632

metamorphism: Metamorphism of the Arseno Lake area, N.W.T., Canada; an Abukuma facies series of Aphebian age (Nielsen, Peter A.) 5: 646-669

Northwest Territories-sedimentary

petrology

sedimentary structures: Penecontemporaneous sandstone dykes, Nonacho Basin (early Proterozoic, Northwest Territories); horizontal injection in vertical, tabular fissures (Aspler, Lawrence B., et al.)

6: 827-838 Northwest Territories-stratigraphy

Archean: A new look at the stratigraphy of the Yellowknife Supergroup at Yellowknife, N.W.T.; implications for the age of gold-bearing shear zones and Archean basin evolution

(Helmstaedt, Herwart, et al.)

4: 454-475 changes of level: Glacial geology and Quaternary marine stratigraphy of the Robeson Channel area, northeastern Ellesmere Island, Northwest Territories 7: 1001-1012 (Retelle, Michael J.)

- Late Quaternary glacial and sea-level events, Clements Markham Inlet, northern Ellesmere Island, Arctic Canada (Bednarski, Jan) 9: 1343-1355

Paleogene: Fish otoliths from the lower Tertiary of Ellesmere Island

(Schwarzhans, Werner) 6: 787-793 Pleistocene: The late Wisconsinan olistostrome of the lower Coppermine River valley, Northwest Territories (St-Onge, Denis A., et al.)

11: 1700-1708

Proterozoic: Paleomagnetism of the Katherine Group in the Mackenzie Mountains; implications for post-Grenville (Hadrynian) apparent polar wander (Park, John K., et al.) 3: 308-323

— The Amer Belt; remnant of an Aphebian foreland fold and thrust belt

(Patterson, Judith G.) 12: 2012-2023 Silurian: The role of contemporaneous faulting of Late Silurian sedimentation in the eastern M'Clintock Basin, Prince of Wales Island, Arctic Canada (Mortensen, Paul S., et al.)

Northwest Territories—structural geology tectonics: Evolution of the Boothia Uplift, Arctic Canada

(Okulitch, Andrew V., et al.)

3: 350-358

9-1401-1411

 Occurrence and possible tectonic significance of high-pressure granulite fragments in the Tulemalu fault zone, District of Keewatin, N.W.T., Canada (Tella, S., et al.)
 12: 1950-1962

Northwest Territories—tectonophysics crust: The Nares Strait gravity anomaly and its implications for crustal structure [discussion and reply]
(Dawes, Peter R., et al.) 12: 2077-2082

Nova Scotia-geochemistry

trace elements: Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.)

8: 1138-1144

— The Cheticamp Pluton; a Cambrian granodioritic intrusion in the western Cape Breton Highlands, Nova Scotia (Barr, Sandra M., et al.) 11: 1686-1699 Nova Scotia—geochronology

Paleozoic: The age of igneous and metamorphic events in the western Cape Breton Highlands, Nova Scotia

(Jamieson, R. A., et al.) 12: 1891-1901 Proterozoic: The age of igneous and metamorphic events in the western Cape Breton Highlands, Nova Scotia (Jamieson, R. A., et al.) 12: 1891-1901

Nova Scotia-oceanography

continental shelf: Distribution of Recent benthonic foraminifera near Sable Island, Nova Scotia (Medioli, F. S., et al.) 7: 985-1000

Nova Scotia-stratigraphy

Cambrian: Paleomagnetism of Early Cambrian redbeds on Cape Breton Island, Nova Scotia

(Rao, K. V., et al.) 9: 1233-1242 Holocene: Distribution of Recent benthonic foraminifera near Sable Island, Nova Scotia

(Medioli, F. S., et al.) 7: 985-1000 Pleistocene: Age estimation of the Shulie Lake and Eatonville tills in Nova Scotia by pedogenic development

(Wang, C., et al.)
1: 115-119
Upper Pleistocene palynostratigraphy and paleoenvironments in the region of Bras d'Or Lake, Cape Breton Island, Nova Scotia
(de Vernal, A., et al.)
4: 491-503

Proterozoic: Paleomagnetism of the late Precambrian Fourchu Group, Cape Breton Island, Nova Scotia (Johnson, Rex J. E., et al.)

11: 1673-1685

Silurian: The relationship between sedimentary facies and faunal associations in the Llandovery siliciclastic Ross Brook Formation, Arisaig, Nova Scotia (Hurst, J. M., et al.) 5: 705-726

Nova Scotia—structural geology tectonics: Tectonic significance of the Carboniferous Big Pond basin, Cape Breton Island, Nova Scotia

(Bradley, Dwight C., et al.)

olistostromes see under turbidity current structures under sedimentary structures Ontario—economic geology

gold ores: Archean lamprophyre dykes and gold mineralization, Matheson, Ontario; the conjunction of LILE-enriched mafic magmas, deep crustal structures, and Au concentration

(McNeil, A. M., et al.) 3: 324-343 silver ores: A U-Pb age for mineralized Nipissing Diabase, Gowganda, Ontario (Corfu, F., et al.) 1: 107-109

 Lead-isotope study of mineralization in the Cobalt District, Ontario

(Thorpe, R. I., et al.) 10: 1568-1575

— Silver deposits associated with the Proterozoic rocks of the Thunder Bay District, Ontario

(Franklin, J. M., et al.) 10: 1576-1591
 Sulphur-isotope geochemistry of silver-sulpharsenide vein mineralization, Cobalt, Ontario

(Goodz, M. D., et al.) 10: 1551-1567
 The silver deposits at Cobalt and Gowganda, Ontario; I, Geology, petrography, and whole-rock geochemistry

(Andrews, Anthony J., et al.) 10: 1480-1506

— The silver deposits at Cobalt and Gowganda, Ontario; II, An experiment in age determinations employing radiometric and paleomagnetic measurements (Andrews, Anthony J., et al.)

10: 1507-1518

— The silver deposits at Cobalt and Gowganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions

(Kerrich, R., et al.) 10: 1519-1550 Ontario—environmental geology

land use: Geochemical indicators in lake sediment of upland erosion caused by Indian and European farming, Awenda Provincial Park, Ontario (Burden, Elliott T., et al.) 1: 55-65

Ontario—geochemistry

trace elements: Combined oxygen isotopecompositional studies of some granitoids from the Grenville Province of Ontario, Canada; implications for source regions (Wu, Tsai-Way, et al.) 9: 1412-1432

 The silver deposits at Cobalt and Gowganda, Ontario; I, Geology, petrography, and whole-rock geochemistry (Andrews, Anthony J., et al.)

Till variability and compositional stratification; examples from the Port Huron Lobe
(Broster, Bruce E.) 11: 1823-1841

Ontario-geochronology

Archean: Crustal evolution of Archean rocks in the Kakagi Lake area, Wabigoon Subprovince, Ontario, as interpreted from high-precision U-Pb geochronolo-

(Davis, D. W., et al.) 2: 182-192

U-Pb ages for late magmatism and regional deformation in the Shebandowan Belt, Superior Province, Canada (Corfu, F., et al.) 8: 1075-1082

(Corfu, F., et al.) 8: 1075-1082

— U-Pb zircon ages in supracrustal and plutonic rocks; North Spirit Lake area, northwestern Ontario

(Corfu, F., et al.) 7: 967-977

Precambrian: U-Pb zircon ages for magmatism in the Red Lake greenstone belt, northwestern Ontario

(Corfu, F., et al.) 1: 27-42 Proterozoic: A U-Pb age for mineralized Nipissing Diabase, Gowganda, Ontario (Corfu, F., et al.) 1: 107-109

 Lead-isotope study of mineralization in the Cobalt District, Ontario

(Thorpe, R. I., et al.) 10: 1568-1575

— The silver deposits at Cobalt and Gowganda, Ontario; II, An experiment in age determinations employing radiometric and paleomagnetic measurements (Andrews, Anthony J., et al.)

10: 1507-1518

 U-Pb geochronology of the Coldwell Complex, northwestern Ontario, Canada [discussion and reply]
(Thorpe, R. I., et al.)
 1: 125-128

Ontario-geomorphology

glacial geology: Former southwesterly ice flows in the Abitibi-Timiskaming region; implications for the configuration of the late Wisconsinan ice sheet (Veillette, J. J.) 11: 1724-1741

(Veillette, J. J.) 11: 1724-1741

— Inverse-graded units within till in drumlins near Caledonia, southern Ontario

(Menzies, J.) 6: 774-786

Ontario—geophysical surveys

gravity surveys: A gravity survey of the Dundas buried valley west of Copetown, Ontario

(Greenhouse, John P., et al.)

1: 110-114

Ontario—hydrogeology ground water: Hydrochemical interpretation of groundwater flow systems in Quaternary sediments of southern On-

(Howard, K. W. F., et al.) 7: 938-947 Ontario—paleontology

Brachiopoda: The Early Silurian brachiopod Pentameroides from the Hudson Bay Lowlands, Ontario (Jisuo, Jin, et al.) 9: 1309-1317 Graptolithina: The Thallograptus and Diplospirograptus from the Silurian Eramosa Member in Hamilton (Ontario, Canada)

(Hewitt, R. A., et al.) 6: 849-853

Ontario-petrology

metamorphism: Interpretation of magnetic susceptibility; a new approach to geophysical evaluation of the degree of rock alteration (Lapointe, P., et al.) 3: 393-401

Ontario-sedimentary petrology

sedimentation: Alluvial-playa sedimentation in the lower Keweenawan Sibley Group, Thunder Bay District, Ontario (Cheadle, Burns A.) 4: 527-542

Ontario-stratigraphy

archaeology: Geochemical indicators in lake sediment of upland erosion caused by Indian and European farming, Awenda Provincial Park, Ontario

(Burden, Elliott T., et al.) 1: 55-65
Palynology of Indian and European forest clearance and farming in lake sediment cores from Awenda Provincial Park, Ontario

(Burden, Elliott T., et al.) 1: 43-54

Holocene: Geochemical indicators in lake
sediment of upland erosion caused by Indian and European farming, Awenda
Provincial Park, Ontario

(Burden, Elliott T., et al.) 1: 55-65

Origin and evolution of the Keswick (Ontario) peat bog, based on pollen and macrofossil analyses

(Dinel, H., et al.)

— Palynology of Indian and European forest clearance and farming in lake sediment cores from Awenda Provincial

Park, Ontario
(Burden, Elliott T., et al.)
1: 43-54
Precambrian: Paleomagnetism, structure, and longitudinal correlation of middle
Precambrian dykes from northwestern
Ontario and Minnesota
(Halls, H. C.)
2: 142-157

Ontario-structural geology

folds: Folds and folding in the Beardmore-Geraldton fold belt (Kehlenbeck, M. M.) 2: 158-171

ophiolite see under ultramafics under igneous rocks

Ordovician see also under geochronology under Appalachians; Newfoundland; Quebec; see also under stratigraphy under Canada; Newfoundland; Quebec

ore guides see under mineral exploration

orogeny—absolute age

Avalonian Orogeny: The age of igneous and metamorphic events in the western Cape Breton Highlands, Nova Scotia (Jamieson, R. A., et al.) 12: 1891-1901

orogeny-evolution

Avalonian Orogeny: Paleomagnetism of the late Precambrian Fourchu Group, Cape Breton Island, Nova Scotia (Johnson, Rex J. E., et al.)

11: 1673-1685
Himalayan Orogeny: Petrologic and structural study of ductile Himalayan thrust

faulting across the Everest-Makalu area, eastern Nepal (Brunel, Maurice, et al.) 8: 1117-1137

Ostracoda see also ostracods

ostracods-biostratigraphy

Quaternary: Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba

(Nielsen, Erik, et al.) 11: 1641-1661 Silurian: Silurian stratigraphy of the Hudson Bay Lowland in Quebec (Larsson, Sven Y., et al.) 3: 288-299

oxygen-isotopes

O-18/O-16: Archean lamprophyre dykes and gold mineralization, Matheson, Ontario; the conjunction of LILE-enriched mafic magmas, deep crustal structures, and Au concentration

(McNeil A. M. et al.) 3: 324-343

(McNeil, A. M., et al.) 3: 324-343

— Combined oxygen isotope-compositional studies of some granitoids from the Grenville Province of Ontario, Canada; implications for source regions (Wu, Tsai-Way, et al.) 9: 1412-1432

- Fluids in cupriferous dolostones and dolomite veins, Proterozoic Dunphy Formation, Labrador Trough (Schriiver, K., et al.) 11: 1709-1723

 Isotope geochemistry of frost-blister ice, North Fork Pass, Yukon, Canada (Michel, Frederick A.)
 4: 543-549

 Oxygen, hydrogen, and carbon isotopic studies of the Great Bear Lake silver deposits, Northwest Territories (Changkakoti, A., et al.) 10: 1463-1469

P-T conditions see under metamorphism; see under polymetamorphism under metamorphism; see under prograde metamorphism under metamorphism

Pacific Coast see also the individual states and provinces

Pacific region see also the individual countries

Pacific region-stratigraphy

Jurassic: The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Province (Sey, I. I., et al.) 7: 1042-1045

Paleocene see also under stratigraphy under Alberta

paleoclimatology—Devonian

global: Late Devonian rugose corals and the Frasnian-Famennian crisis (Sorauf, J. E., et al.) 9: 1265-1287

paleoclimatology-Holocene

Ontario: Origin and evolution of the Keswick (Ontario) peat bog, based on pollen and macrofossil analyses

(Dine!, H., et al.) 8: 1145-1155 Yukon Territory: Stratigraphic, isotopic, and mineralogical evidence for an early Holocene thaw unconformity at Mayo, Yukon Territory (Burn, C. R., et al.) 6: 794-803

paleoclimatology—Paleogene

Northwest Territories: Fish otoliths from the lower Tertiary of Ellesmere Island (Schwarzhans, Werner) 6: 787-793

paleoclimatology-Pleistocene

British Columbia: Paleoclimatic implications of middle Wisconsinan pollen and a Paleosol from the Purcell Trench, south central British Columbia

(Alley, Neville F., et al.) 8: 1156-1168
— The stratigraphy, palynology, and climatic significance of pre-middle Wisconsin Pleistocene sediments, southern Vancouver Island, British Columbia (Alley, Neville F., et al.) 3: 369-382

North America: A mammoth (Mammuthus primigenius) tooth from late Wisconsin deposits near Embden, North Dakota, and comments on the distribution of woolly mammoths south of the Wisconsin ice sheets

(Harington, C. R., et al.) 7: 909-918 Nova Scotia: Upper Pleistocene palynostratigraphy and paleoenvironments in the region of Bras d'Or Lake, Cape Breton Island, Nova Scotia

(de Vernal, A., et al.) 4: 491-503

paleoclimatology—Quaternary
Alberta: Pollen stratigraphy of Eaglenest
Lake, northeastern Alberta

(Vance, R. E.)

British Columbia: The Quaternary stratigraphic record of British Columbia; evidence for episodic sedimentation and erosion controlled by glaciation (Clague, John J.)

6: 885-894

paleoecology-Carboniferous

Quebec: Windsor Group (Lower Carboniferous) conodont biostratigraphy and palaeoecology, Magdalen Islands, Quebec, Canada

(Plint, Hilary A., et al.) 4: 439-453

paleoecology—Coelenterata

Ordovician: Late Ordovician solitary rugose corals preserved in life position (Elias, Robert J., et al.) 5: 739-742 paleoecology—corals

Devonian: Late Devonian rugose corals and the Frasnian-Famennian crisis (Sorauf, J. E., et al.) 9: 1265-1287

paleoecology-fish

Paleogene: Fish otoliths from the lower Tertiary of Ellesmere Island (Schwarzhans, Werner) 6: 787-793

paleoecology—graptolites

Ordovician: A new early Tremadoc (La1) graptolite faunule from western Newfoundland; its Australian affinity and biofacies relations (Erdtmann, Bernd D., et al.)

6: 766-773

paleoecology-Holocene

Ontario: Geochemical indicators in lake sediment of upland erosion caused by Indian and European farming, Awenda Provincial Park, Ontario

(Burden, Elliott T., et al.) 1: 55-65

— Origin and evolution of the Keswick (Ontario) peat bog, based on pollen and macrofossil analyses

(Dinel, H., et al.) 8: 1145-1155

— Palynology of Indian and European forest clearance and farming in lake sediment cores from Awenda Provincial

Park, Ontario 1:43-54 (Burden, Elliott T., et al.)

paleoecology-ichnofossils

Cretaceous: The trace fossil Yakutatia emersoni from the Cretaceous Kodiak Formation of Alaska (McCann, T., et al.) 2. 262-269

paleoecology-Pleistocene

Columbia: The stratigraphy, palynology, and climatic significance of pre-middle Wisconsin Pleistocene sediments, southern Vancouver Island, British Columbia

(Alley, Neville F., et al.) 3: 369-382 Nova Scotia: Upper Pleistocene palynostratigraphy and paleoenvironments in the region of Bras d'Or Lake, Cape Breton Island, Nova Scotia (de Vernal, A., et al.) 4: 491-503

paleoecology-Quaternary

Alaska: Late Quaternary vegetation history of the Fishhook Bend area, Porcupine River, Alaska

(Edwards, Mary E., et al.)

11: 1765-1773 Alberta: Pollen stratigraphy of Eaglenest

Lake, northeastern Alberta (Vance, R. E.)

Manitoba: Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba (Nielsen, Erik, et al.) 11: 1641-1661

Paleogene see also under stratigraphy under Northwest Territories

paleogeography-Cretaceous

British Columbia: Petrology and tectonic significance of Gates Formation (Early Cretaceous) sediments in Northeast British Columbia (Leckie, Dale) 2: 129-141

paleogeography-Devonian

Quebec: Devonian faunas of the Sainte-Helene Island breccia, Montreal, Quebec, Canada

(Boucot, A. J., et al.) 12: 2047-2056

paleogeography-Pleistocene

North Dakota: A mammoth (Mammuthus primigenius) tooth from late Wisconsin deposits near Embden, North Dakota, and comments on the distribution of woolly mammoths south of the Wisconsin ice sheets

(Harington, C. R., et al.) 7: 909-918 Northwest Territories: The late Wisconsinan olistostrome of the lower Coppermine River valley, Northwest Territories (St-Onge, Denis A., et al.)

11: 1700-1708

paleogeography-Proterozoic

Ontario: Alluvial-playa sedimentation in the lower Keweenawan Sibley Group, Thunder Bay District, Ontario (Cheadle, Burns A.) 4: 527-542

paleogeography-Quaternary

Northwest Territories: Late Quaternary glacial and sea-level events, Clements Markham Inlet, northern Ellesmere Island, Arctic Canada (Bednarski, Jan) 9: 1343-1355 paleogeography-Silurian

Northwest Territories: The role of contemporaneous faulting of Late Silurian sedimentation in the eastern M'Clintock Basin, Prince of Wales Island, Arctic Cana-

(Mortensen, Paul S., et al.)

9: 1401-1411

paleomagnetism see under geochronology paleomagnetism—Cambrian

Nova Scotia: Paleomagnetism of Early Cambrian redbeds on Cape Breton Island, Nova Scotia (Rao, K. V., et al.) 9: 1233-1242

paleomagnetism-Cretaceous

Alberta: Anomalous paleomagnetism of the Crowsnest Formation of the Rocky Mountains

(Irving, E., et al.) 5: 591-598

paleomagnetism-magnetic susceptibility applications: Interpretation of magnetic susceptibility; a new approach to geophysical evaluation of the degree of rock alteration

(Lapointe, P., et al.) 3: 393-401 paleomagnetism-Ordovician

Quebec: Paleomagnetic study of the Late Ordovician-Early Silurian platform sequence of Anticosti Island, Quebec (Seguin, Maurice K., et al.)

12: 1880-1890

paleomagnetism-Precambrian

Ontario: Paleomagnetism, structure, and longitudinal correlation of middle Precambrian dykes from northwestern Ontario and Minnesota 2: 142-157

(Halls, H. C.) paleomagnetism-Proterozoic

Canada: Paleomagnetism of the Katherine Group in the Mackenzie Mountains; implications for post-Grenville (Hadrynian) apparent polar wander

(Park, John K., et al.) 3: 308-323 Canadian Shield: The tectonic significance of some basic dyke swarms in the Canadian Superior Province with special reference to the geochemistry and paleomagnetism of the Mistassini swarm,

Quebec, Canada (Fahrig, W. F., et al.) 2: 238-253 Nova Scotia: Paleomagnetism of the late Precambrian Fourchu Group, Cape Breton Island, Nova Scotia

(Johnson, Rex J. E., et al.)

11: 1673-1685 Ontario: The silver deposits at Cobalt and Gowganda, Ontario; II, An experiment in age determinations employing radiometric and paleomagnetic measure-

(Andrews, Anthony J., et al.)

10: 1507-1518

paleomagnetism-Silurian

Quebec: Paleomagnetic study of the Late Ordovician-Early Silurian platform sequence of Anticosti Island, Quebec (Seguin, Maurice K., et al.)

12: 1880-1890

paleontology-biologic evolution

Coelenterata: Late Devonian rugose corals and the Frasnian-Famennian crisis (Sorauf, J. E., et al.) 9: 1265-1287

Paleosols see under clastic sediments under sediments; see under composition under sediments

paleotemperature see geologic thermometry under fluid inclusions

Paleozoic see also Cambrian; Devonian; Pennsylvanian; Permian; see also under geochronology under Nova Scotia; see also under stratigraphy under Atlantic Ocean; British Columbia

paleozoogeography see biogeography

palynology-techniques

sample preparation: An alternative to exotic spore or pollen addition in quantitative microfossil studies

(Ogden, J. Gordon, III) 1: 102-106 - New and revised acritarch taxa from the Upper Devonian (Frasnian) of Alberta, Canada (Turner, Robert E.) 5: 599-607

palynomorphs-acritarchs

Devonian: New and revised acritarch taxa from the Upper Devonian (Frasnian) of Alberta, Canada 5: 599-607 (Turner, Robert E.)

palynomorphs-chitinozoans

Ordovician: Lower Ordovician chitinozoan assemblages from Eastern Canada (Achab, Aicha)

palynomorphs-Dinoflagellata

Holocene: Palynology of Indian and European forest clearance and farming in lake sediment cores from Awenda Provincial Park, Ontario (Burden, Elliott T., et al.)

palynomorphs-miospores

Cretaceous: The Cretaceous-Tertiary boundary in the central Alberta foothills; I, Stratigraphy (Jerzykiewicz, T., et al.) 9: 1356-1374

- The Cretaceous-Tertiary boundary in the central Alberta foothills; II, Miospore and pollen taxonomy

9: 1375-1388 (Sweet, A. R.) Holocene: Origin and evolution of the Keswick (Ontario) peat bog, based on pollen and macrofossil analyses 8: 1145-1155

(Dinel, H., et al.) - Palynology of Indian and European forest clearance and farming in lake sediment cores from Awenda Provincial Park. Ontario

(Burden, Elliott T., et al.) 1: 43-54 Pleistocene: An early Pleistocene proglacial succession in south-central British Columbia

(Mathews, W. H., et al.)

11: 1796-1803 Paleoclimatic implications of middle Wisconsinan pollen and a Paleosol from the Purcell Trench, south central British Columbia

(Alley, Neville F., et al.) 8: 1156-1168 - The stratigraphy, palynology, and climatic significance of pre-middle Wisconsin Pleistocene sediments, southern Vancouver Island, British Columbia (Alley, Neville F., et al.) 3: 369-382

Upper Pleistocene palynostratigraphy and paleoenvironments in the region of Bras d'Or Lake, Cape Breton Island, Nova Scotia

(de Vernal, A., et al.) 4: 491-503

Quaternary: Late Quaternary vegetation history of the Fishhook Bend area, Porcupine River, Alaska

(Edwards, Mary E., et al.)

11: 1765-1773 - Pollen stratigraphy of Eaglenest Lake, northeastern Alberta

(Vance, R. E.) 1: 11-20 Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba (Nielsen, Erik, et al.) 11: 1641-1661

palynomorphs—paleoecology

Paleozoic: Occurrence and regional geological setting of Paleozoic rocks on the Grand Banks of Newfoundland (King, Lewis H., et al.) 4: 504-526

paragenesis-metamorphic rocks

Himalayas: Petrologic and structural study of ductile Himalayan thrust faulting across the Everest-Makalu area, eastern Nepal (Brunel, Maurice, et al.) 8: 1117-1137

paragenesis—silver ores

Ontario: The silver deposits at Cobalt and Gowganda, Ontario; I, Geology, petrography, and whole-rock geochemistry (Andrews, Anthony J., et al.)

10: 1480-1506 - The silver deposits at Cobalt and Gowganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions (Kerrich, R., et al.) 10: 1519-1550

paragenesis-uranium ores

Quebec: An example of albite-uranium alkaline metasomatism in the Otish Basin, Ouebec

(Ruhlmann, Francois, et al.) 11: 1742-1752

peat bogs see under landform evolution under geomorphology

Pennsylvanian—paleontology Reptilia: Phylogenetic relationships of cap-

torhinomorph reptiles (Heaton, M. J., et al.) 3: 402-418 periglacial features see under glacial geology

permafrost see also under engineering geology under Northwest Territories; Yukon Terri-

permafrost-theoretical studies

thermal regime: Thermal simulation of subsea saline permafrost 12: 2039-2046 (Nixon, J. F.)

Permian—paleontology

Reptilia: Phylogenetic relationships of captorhinomorph reptiles 3: 402-418 (Heaton, M. J., et al.)

- The axial skeleton of the Early Permian reptile Eocaptorhinus laticeps (Willis-(Dilkes, David W., et al.) 9: 1288-1296 Phanerozoic see also Cambrian; Devonian; Pennsylvanian; Permian

phosphorus—geochemistry

metabasalt: Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.)

8: 1138-1144

physical geography see geomorphology Pisces see also fish

Pisces-occurrence

otoliths: Fish otoliths from the lower Tertiary of Ellesmere Island (Schwarzhans, Werner) 6: 787-793

placers-gold ores

Alberta: The morphology, mineralogy, and behavior of "fine-grained" gold from placer deposits of Alberta; sampling and implications for mineral exploration (Giusti, L.) 11: 1662-1672

Yukon Territory: Ground-ice investigations, Klondike District, Yukon Territo-(French, H. M., et al.) 4: 550-560

Plantae see also algae; ichnofossils; palynomorphs

plants-paleoecology

Holocene: Origin and evolution of the Keswick (Ontario) peat bog, based on pollen and macrofossil analyses (Dinel, H., et al.) 8: 1145-1155

plate tectonics see also under tectonophysics under British Columbia: Canadian Shield

Pleistocene see also under geochronology under British Columbia; see also under stratigraphy under British Columbia; North Dakota; Northwest Territories; Nova Scotia

plutons see under intrusions

polymetallic ores see also under economic geology under British Columbia; Mexico

Porifera-Hyalospongea

Devonian: Malluviospongia, a new Devonian heteractinid sponge from the Bird Fiord Formation of southwestern Ellesmere Island, Northwest Territories, Canada

(Rigby, J. Keith, et al.) 3: 344-349

Precambrian see also under geochronology under Canadian Shield; Ontario; see also under stratigraphy under Canadian Shield; Minnesota; Ontario

protactinium-isotopes

Pa-231: An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments 7: 959-966 (Huntley, D. J., et al.)

Proterozoic see also under geochronology under Idaho; Northwest Territories; Nova Scotia; Ontario; see also under stratigraphy under British Columbia; Northwest Territories; Nova Scotia; Quebec; Yukon Territory

Quaternary see also under geochronology under Alberta; British Columbia; Northwest Territories; see also under stratigraphy under Alaska; Alberta; British Columbia; Labrador: Manitoba

Quebec-economic geology

copper ores: Fluids in cupriferous dolostones and dolomite veins, Proterozoic **Dunphy Formation, Labrador Trough** (Schrijver, K., et al.) 11: 1709-1723 gold ores: Archean wrench fault tectonics

and structural evolution of the Blake River Group, Abitibi Belt, Quebec [discussionl

(Bradshaw, R. J.) 11: 1864-1865 uranium ores: An example of albite-uranium alkaline metasomatism in the Otish Basin, Quebec

(Ruhlmann, Francois, et al.)

11: 1742-1752 Quebec-engineering geology

rock mechanics: Black shale heaving at Sainte-Foy, Quebec, Canada (Berube, Marc-Andre, et al.) 11: 1774-1781

Quebec-geochemistry

trace elements: Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.)

8: 1138-1144

Geochemical constraints on the differentiation processes that were active in the Sept Iles Complex (Higgins, Michael D., et al.)

5: 670-681

Geochemistry of the felsic metavolcanic rocks of the Wakeham Group; a metamorphosed peralkaline suite from the eastern Grenville Province, Quebec, Canada

7: 978-984 (Bourne, James H.) The geochemistry and petrogenesis of ophiolitic volcanic rocks from Lac de

l'Est, Thetford Mines Complex, Quebec, Canada

(Oshin, I. O., et al.)

Quebec-geochronology

Ordovician: 40Ar/39Ar ages for minerals from the amphibolite dynamothermal aureole, Mont Albert, Gaspe, Quebec (Lux, Daniel R.)

Quebec-geomorphology glacial geology: Former southwesterly ice flows in the Abitibi-Timiskaming region; implications for the configuration of the

late Wisconsinan ice sheet (Veillette, J. J.) 11: 1724-1741

Ice-push caves in platform limestones of the Montreal area (Schroeder, J., et al.) 11: 1842-1851

Quebec-paleontology

Brachiopoda: The oldest chonetacean brachiopods (Ordovician-Silurian, Anticosti Island, Quebec) (Racheboeuf, Patrick R., et al.)

9: 1297-1308

Quebec-petrology

intrusions: The Mont Saint Hilaire plutonic complex; occurrence of excess 40Ar and short intrusion history

(Gilbert, Lisa A., et al.) metamorphic rocks: Petrology of volcanic rocks in the Archean Matagami-Chibougamau greenstone belt west of Chapais (East Abitibi, Quebec); 2, The potassium-rich Opemisca Group

(Picard, Christian, et al.) 8: 1169-1189 - Petrology of volcanic rocks in the Archean Matagami-Chibougamou greenstone belt west of Chapais (East Abitibi, Quebec); 1, The basal Roy Group (Picard, Christian, et al.) 4: 561-578

Quebec-seismology

earthquakes: A method for determining the frequency of large-magnitude earthquakes using lake sediments (Doig, Ronald) 7: 930-937

Quebec-stratigraphy

Carboniferous: Windsor Group (Lower Carboniferous) conodont biostratigraphy and palaeoecology, Magdalen Islands, Quebec, Canada

(Plint, Hilary A., et al.) 4-439-453 Devonian: Devonian faunas of the Sainte-Helene Island breccia, Montreal, Quebec, Canada

(Boucot, A. J., et al.) 12: 2047-2056 Ordovician: Lower Ordovician chitinozoan assemblages from Eastern Canada (Achab, Aicha) 5: 682-695

- Paleomagnetic study of the Late Ordovician-Early Silurian platform sequence of Anticosti Island, Quebec (Seguin, Maurice K., et al.)

12: 1880-1890 - Tempo of earliest Ordovician graptolite faunal succession; conodont-based correlations from the Tremadocian of Quehec

(Landing, Ed, et al.) 12: 1928-1949 Proterozoic: The tectonic significance of some basic dyke swarms in the Canadian Superior Province with special reference to the geochemistry and paleomagnetism of the Mistassini swarm, Quebec, Canada

(Fahrig, W. F., et al.) 2: 238-253 Silurian: Paleomagnetic study of the Late Ordovician-Early Silurian platform sequence of Anticosti Island, Quebec (Seguin, Maurice K., et al.)

12: 1880-1890

Silurian stratigraphy of the Hudson Bay Lowland in Ouebec (Larsson, Sven Y., et al.) 3: 288-299

Quebec-structural geology

tectonics: Archean wrench fault tectonics and structural evolution of the Blake River Group, Abitibi Belt, Quebec [discussion]

(Bradshaw, R. J.) 11: 1864-1865 racemization see under geochronology

radioactive dating see absolute age radiocarbon dating see absolute age radium-isotopes

Ra-226: An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments (Huntley, D. J., et al.) 7: 959-966

rare earths see also neodymium; yttrium

rare earths—geochemistry

diabase: Triassic olivine-normative diabase from Northumberland Strait, Eastern Canada; implications for continental rift-

(Pe-Piper, Georgia, et al.)

7: 1013-1021

granodiorites: The Cheticamp Pluton; a Cambrian granodioritic intrusion in the western Cape Breton Highlands, Nova

(Barr, Sandra M., et al.) 11: 1686-1699 igneous rocks: Archean lamprophyre dykes and gold mineralization, Matheson, Ontario; the conjunction of LILE-enriched mafic magmas, deep crustal structures, and Au concentration

3: 324-343 (McNeil, A. M., et al.) - Geochemical constraints on the differentiation processes that were active in the Sept Iles Complex

(Higgins, Michael D., et al.)

5: 670-681

metaplutonic rocks: Combined oxygen isotope-compositional studies of some granitoids from the Grenville Province of Ontario, Canada; implications for source regions

(Wu, Tsai-Way, et al.) 9: 1412-1432 metavolcanic rocks: Geochemistry of the felsic metavolcanic rocks of the Wakeham Group; a metamorphosed peralkaline suite from the eastern Grenville Province, Quebec, Canada

(Bourne, James H.) 7: 978-984 - Petrology of volcanic rocks in the Archean Matagami-Chibougamau greenstone belt west of Chapais (East Abitibi,

Quebec); 2, The potassium-rich Opemis-

(Picard, Christian, et al.) 8: 1169-1189 - Petrology of volcanic rocks in the Archean Matagami-Chibougamou greenstone belt west of Chapais (East Abitibi, Quebec); 1, The basal Roy Group

- Trace-element geochemistry of ore-associated and barren, felsic metavolcanic rocks in the Superior Province, Canada (Lesher, C. M., et al.) 2: 222-237

(Picard, Christian, et al.)

ophiolite: The geochemistry and petrogenesis of ophiolitic volcanic rocks from Lac de l'Est, Thetford Mines Complex, Quebec, Canada

2: 202-213 (Oshin, I. O., et al.)

silver ores: The silver deposits at Cobalt and Gowganda, Ontario; I, Geology, petrography, and whole-rock geochemistry (Andrews, Anthony J., et al.)

10: 1480-1506

4: 561-578

reefs see also under sedimentary petrology under Yukon Territory

regional geology see areal geology under the appropriate area term

remote sensing see also geophysical methods reptiles see also Reptilia

Reptilia-Captorhinomorpha

Paleozoic: Phylogenetic relationships of captorhinomorph reptiles

(Heaton, M. J., et al.) Permian: The axial skeleton of the Early Permian reptile Eocaptorhinus laticeps (Williston) (Dilkes, David W., et al.) 9: 1288-1296

Reptilia-Pelycosauria

Pennsylvanian: Ianthasaurus hardestii n. sp., a primitive edaphosaur (Reptilia, Pelycosauria) from the Upper Pennsylvanian Rock Lake Shale near Garnett, Kansas 1:77-91

(Reisz, Robert R., et al.) rock mechanics-materials, properties

black shale: Black shale heaving at Sainte-Foy, Quebec, Canada (Berube, Marc-Andre, et al.)

11: 1774-1781

magnetic properties: Interpretation of magnetic susceptibility; a new approach to geophysical evaluation of the degree of rock alteration 3: 393-401 (Lapointe, P., et al.)

rock mechanics-techniques

testing: An improved technique for the determination of rock porosity 8: 1068-1074 (Melnyk, T. W., et al.) Rocky Mountains see also the individual

states and provinces

Rocky Mountains-stratigraphy Cretaceous: Anomalous paleomagnetism of the Crowsnest Formation of the Rocky Mountains (Irving, E., et al.) 5: 591-598

Russia see USSR

Sahara see also the individual countries sandstone see also under clastic rocks under sedimentary rocks

Saskatchewan—geomorphology

eolian features: Development of hybrid aeolian dunes; the William River dune field, Northwest Saskatchewan, Canada (Carson, M. A., et al.) 12: 1974-1990 Saskatchewan-soils

salinity: In situ measurements of moisture

and salt movement in freezing soils (Grav. D. M., et al.) sedimentary petrology-data processing

computer programs: A microcomputer program for the ASTM method of grain-size analysis 5: 737-739

(Mackenzie, R. L., et al.) sedimentary rocks see also sedimentary structures; sedimentation; sediments

sedimentary rocks-carbonate rocks

diagenesis: Erratum; Limestone diagenesis of Upper Devonian Nisku carbonates in the subsurface of central Alberta (Machel, Hans G.)

Limestone diagenesis of Upper Devonian Nisku carbonates in the subsurface of central Alberta

(Machel, Hans G.) 11: 1804-1822 limestone: Synsedimentary submarine slope failure and tectonic deformation in deep-water carbonates, Cow Head Group, western Newfoundland (Coniglio, Mario) 4: 476-490 lithofacies: The role of contemporaneous faulting of Late Silurian sedimentation in the eastern M'Clintock Basin, Prince of Wales Island, Arctic Canada (Mortensen, Paul S., et al.)

9: 1401-1411

lithostratigraphy: Silurian stratigraphy of the Hudson Bay Lowland in Quebec (Larsson, Sven Y., et al.) 3: 288-299 sedimentary rocks—clastic rocks

black shale: Black shale heaving at Sainte-Foy, Quebec, Canada (Berube, Marc-Andre, et al.)

11: 1774-1781

environmental analysis: An early Pleistocene proglacial succession in south-central British Columbia (Mathews, W. H., et al.)

lithofacies: The relationship between sedimentary facies and faunal associations in the Llandovery siliciclastic Ross Brook Formation, Arisaig, Nova Scotia

(Hurst, J. M., et al.) 5: 705-726 red beds: The Double Mer Formation and the Lake Melville rift system, eastern Labrador

(Gower, Charles F., et al.) 3: 359-368 sandstone: Penecontemporaneous sandstone dykes, Nonacho Basin (early Proterozoic, Northwest Territories); horizontal injection in vertical, tabular fissures

(Aspler, Lawrence B., et al.)

6: 827-838

Petrology and tectonic significance of Gates Formation (Early Cretaceous) sediments in Northeast British Columbia (Leckie, Dale) 2: 129-141

sedimentary rocks—geochemistry iridium: The terminal Cretaceous iridium anomaly in the Red Deer Valley, Alberta. Canada

(Lerbekmo, J. F., et al.) 1: 120-124

sedimentary rocks—lithofacies
environmental analysis: Alluvial-playa sedimentation in the lower Keweenawan
Sibley Group, Thunder Bay District, Ontario

(Cheadle, Burns A.) 4: 527-542

— Devonian faunas of the Sainte-Helene Island breccia, Montreal, Quebec, Canada

(Boucot, A. J., et al.) 12: 2047-2056 sedimentary rocks—lithostratigraphy

Cretaceous: The Cretaceous-Tertiary boundary in the central Alberta foothills; I, Stratigraphy

(Jerzykiewicz, T., et al.) 9: 1356-1374 Jurassic: Lower to Middle Jurassic (Pliensbachian to Bajocian) stratigraphy of the northern Spatsizi area, north-central British Columbia

(Thomson, Robert C., et al.) 12: 1963-1973

12: 1963-197 sedimentary rocks—organic residues

coal: The timing of coalification in relation to structural events in the Grande Cache area, Alberta, Canada (Kalkreuth, Wolfgang, et al.)

8: 1103-1116

macerals: Anisotropic fragments in strongly folded and faulted coals from the Rocky Mountain area of Southeast British Columbia

(Goodarzi, Fariborz) 2: 254-258 vitrinite: Vitrinite reflectances from Eocene rocks of southern British Columbia, a regional reconnaissance

(Mathews, W. H., et al.) 2: 259-261 sedimentary structures see also sedimentary rocks: sediments

sedimentary structures—biogenic structures

algal mounds: Discovery of Triassic phylloid algae; possible links with the Paleozoic

(Reid, R. Pamela) 12: 2068-2071 sedimentary structures—planar bedding structures

environmental analysis: Alluvial-playa sedimentation in the lower Keweenawan Sibley Group, Thunder Bay District, Ontario

(Cheadle, Burns A.) 4: 527-542 graded bedding: Inverse-graded units within till in drumlins near Caledonia, southern Ontario

(Menzies, J.) 6: 774-786 sedimentary structures—secondary

structures

concretions: Glauconite nodules in a Nampa pedon from Alberta (McKeague, J. A., et al.) 3: 432-435

sedimentary structures—soft sediment deformation

clastic dikes: Penecontemporaneous sandstone dykes, Nonacho Basin (early Proterozoic, Northwest Territories); horizontal injection in vertical, tabular fissures (Aspler, Lawrence B., et al.)

interpretation: Synsedimentary submarine slope failure and tectonic deformation in deep-water carbonates, Cow Head

Group, western Newfoundland (Coniglio, Mario) 4: 476-490 sedimentary structures—turbidity current

olistostromes: The late Wisconsinan olistostrome of the lower Coppermine River valley, Northwest Territories (St-Onge, Denis A., et al.)

11: 1700-1708

sedimentation—controls

tectonic controls: Penecontemporaneous sandstone dykes, Nonacho Basin (early Proterozoic, Northwest Territories); horizontal injection in vertical, tabular fissures

(Aspler, Lawrence B., et al.)

6: 827-838

— Tectonic significance of the Carboniferous Big Pond basin, Cape Breton Island, Nova Scotia
(Bradley, Dwight C., et al.)

12: 2000-2011

The Double Mer Formation and the Lake Melville rift system, eastern Labrador

(Gower, Charles F., et al.) 3: 359-368

— The role of contemporaneous faulting of Late Silurian sedimentation in the eastern M'Clintock Basin, Prince of Wales Island, Arctic Canada (Mortensen, Paul S., et al.)

9: 1401-1411

 The tectonics and depositional history of the Ordovician and Silurian rocks of Notre Dame Bay, Newfoundland [discussions and reply] (Wasowski, Janusz J., et al.)

4: 583-590

sedimentation—cyclic processes

fluviolacustrine sedimentation: Alluvialplaya sedimentation in the lower Keweenawan Sibley Group, Thunder Bay District, Ontario (Cheadle, Burns A.) 4: 527-542

(Cheadle, Burns A.) 4: 527-542 glacial sedimentation: The Quaternary stratigraphic record of British Columbia; evidence for episodic sedimentation and erosion controlled by glaciation

(Clague, John J.) 6: 885-894

sedimentation-environment

fluvial environment: The Lillooet terraces of Fraser River; a palaeoenvironmental enquiry

(Ryder, June M., et al.) 6: 869-884 glacial environment: An early Pleistocene proglacial succession in south-central British Columbia

(Mathews, W. H., et al.)

11: 1796-1803

glaciomarine environment: The Quaternary geology of the Labrador Shelf (Josenhans, H. W., et al.) 8: 1190-1213

shelf environment: Occurrence and regional geological setting of Paleozoic rocks on the Grand Banks of Newfoundland (King, Lewis H., et al.) 4: 504-526

sedimentation—processes

bioclastic sedimentation: Distribution of Recent benthonic foraminifera near Sable Island, Nova Scotia (Medioli, F. S., et al.) 7: 985-1000

detrital sedimentation: Lower to Middle Jurassic (Pliensbachian to Bajocian) stratigraphy of the northern Spatsizi area, north-central British Columbia (Thomson, Robert C., et al.)

12: 1963-1973
glacial sedimentation: Inverse-graded units
within till in drumlins near Caledonia,
southern Ontario

(Menzies, J.) 6: 774-786

— Till variability and compositional stratification; examples from the Port

Huron Lobe (Broster, Bruce E.) 11: 1823-1841 glaciomarine sedimentation: Giacial geology and Quaternary marine stratigraphy

glaciomarine sedimentation: Glacial geology and Quaternary marine stratigraphy of the Robeson Channel area, northeastern Ellesmere Island, Northwest Territories

(Retelle, Michael I.) 7: 1001-1012

(Retelle, Michael J.) 7: 1001-1012

— The late Wisconsinan olistostrome of the lower Coppermine River valley, Northwest Territories (St-Onge, Denis A., et al.)

11: 1700-1708

lacustrine sedimentation: Distribution of biogenic silica in the surficial sediments of Lake Michigan

(Conley, Daniel J., et al.) 9: 1442-1449
 Geochemical indicators in lake sediment of upland erosion caused by Indian and European farming, Awenda Provincial Park, Ontario
 (Burden, Elliott T., et al.) 1: 55-65

sedimentation-provenance

sandstone: Petrology and tectonic significance of Gates Formation (Early Cretaceous) sediments in Northeast British Columbia

(Leckie, Dale) 2: 129-141 sedimentation—sedimentation rates

deep-sea sedimentation: An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments

(Huntley, D. J., et al.) 7: 959-966

lacustrine sedimentation: A method for determining the frequency of large-magnitude earthquakes using lake sediments
(Doig, Ronald) 7: 930-937

 Identification and significance of tephras encountered in a core from Mary Lake, Yoho National Park, British Columbia

(Reasoner, Mel A., et al.)

12: 1991-1999

sedimentation-transport

glacial transport: Pleistocene glacial dispersal and history in Butte Valley, Vancouver Island, British Columbia; a feasibility study for alpine drift prospecting

(Hicock, Stephen R.) 12: 1867-1879 wind transport: Development of hybrid aeolian dunes; the William River dune field, Northwest Saskatchewan, Canada (Carson, M. A., et al.) 12: 1974-1990

sediments see also sedimentary rocks; sedimentary structures; sedimentation

sediments—clastic sediments

diamicton: The late Wisconsinan olistostrome of the lower Coppermine River valley, Northwest Territories (St-Onge, Denis A., et al.)

environmental analysis: Stratigraphic, isotopic, and mineralogical evidence for an early Holocene thaw unconformity at Mayo, Yukon Territory

(Burn, C. R., et al.) 6: 794-803 Paleosols: Quaternary events in the Elkwater Lake area of southeastern Alberta (Vreeken, Willem J.) 12: 2024-2038

till: Age estimation of the Shulie Lake and Eatonville tills in Nova Scotia by pedogenic development (Wang. C., et al.) 1: 115-119

(wang, C., et al.)
 1: 115-119
 An early Pleistocene proglacial succession in south-central British Columbia (Mathews, W. H., et al.)

— Inverse-graded units within till in drumlins near Caledonia, southern Ontario (Menzies, J.) 6: 774-786

— Pleistocene glacial dispersal and history in Butte Valley, Vancouver Island, British Columbia; a feasibility study for alpine drift prospecting (Hicock, Stephen R.) 12: 1867-1879

 Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba (Nielsen, Erik, et al.)
 11: 1641-1661

Till variability and compositional stratification; examples from the Port Huron Lobe
(Broster, Bruce E.) 11: 1823-1841

sediments—composition

Paleosols: Paleoclimatic implications of middle Wisconsinan pollen and a Paleosol from the Purcell Trench, south central British Columbia

(Alley, Neville F., et al.) 8: 1156-1168 silica: Distribution of biogenic silica in the surficial sediments of Lake Michigan (Conley, Daniel J., et al.) 9: 1442-1449

sediments—environmental analysis

fluvial environment: The Lillooet terraces of Fraser River; a palaeoenvironmental enquiry (Ryder, June M., et al.) 6: 869-884

(Ryder, June Mr., et al.) 6: 805-808 glacial environment: The Quaternary stratigraphic record of British Columbia; evidence for episodic sedimentation and erosion controlled by glaciation (Clague, John J.) 6: 885-894

sediments-geochemistry

trace elements: Geochemical indicators in lake sediment of upland erosion caused by Indian and European farming, Awenda Provincial Park, Ontario (Burden, Elliott T., et al.) 1: 55-65

sediments-marine sediments

geochemistry: An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments

(Huntley, D. J., et al.) 7: 959-966 provenance: The Quaternary geology of the Labrador Shelf (Josenhans, H. W., et al.) 8: 1190-1213

sediments—textures

grain size: A microcomputer program for the ASTM method of grain-size analysis (Mackenzie, R. L., et al.) 5: 737-739

seismic methods see under geophysical methods

seismic surveys see under geophysical surveys under Atlantic Ocean

seismology see also engineering geology

seismology—earthquakes

eismology—earthquakes
frequency: A method for determining the
frequency of large-magnitude earthquakes using lake sediments
(Doig, Ronald) 7: 930-937

prediction: Analysis of seismic instability of the Vancouver Island lithoprobe transect (Nyland, E., et al.) 12: 2057-2067

seismology-microearthquakes

induced earthquakes: Earthquakes near Rocky Mountain House, Alberta, and their relationship to gas production facilities (Wetmiller, Robert J.) 2: 172-181

shear zones see under effects under faults

Silurian see also under stratigraphy under Newfoundland; Northwest Territories; Nova Scotia; Quebec

silver ores see also under economic geology under British Columbia; Canada; Mexico; Northwest Territories; Ontario; symposia

slope stability see also engineering geology; geomorphology; see also under engineering geology under Alberta

soil mechanics see also rock mechanics

soils-surveys

Alberta: Glauconite nodules in a Nampa pedon from Alberta

(McKeague, J. A., et al.) 3: 432-435 Nova Scotia: Age estimation of the Shulie Lake and Eatonville tills in Nova Scotia by pedogenic development (Wang, C., et al.) 1: 115-119

Saskatchewan: In situ measurements of moisture and salt movement in freezing soils

(Gray, D. M., et al.) 5: 696-704

South Dakota-tectonophysics

crust: Precambrian basement geology of North and South Dakota (Klasner, J. S., et al.) 8: 1083-1102

Southern Hemisphere see also Atlantic Ocean

Soviet Union see USSR

Spongiae see Porifera

springs see also ground water; see also under hydrogeology under Alberta; Yukon Territory

strontium-isotopes

Sr-87/Sr-86: The silver deposits at Cobalt and Gowganda, Ontario; III, Hydrothermal regimes and source reservoirs, evidence from H, O, C, and Sr isotopes and fluid inclusions (Kerrich, R., et al.) 10: 1519-1550

structural analysis see also folds

structural analysis—faults

shear zones: A Middle Cretaceous dextral ductile shear in the Yellowhead Pass region; northeastern Shuswap metamorphic complex, British Columbia (Van den Driessche, Jean, et al.) 9: 1331-1342

structural analysis—folds

fold belts: Folds and folding in the Beardmore-Geraldton fold belt

(Kehlenbeck, M. M.) 2: 158-171
polyphase processes: Multiple folding and
pluton emplacement in Archean migmatites of the southern Vermilion granitic
complex, northeastern Minnesota
(Bauer, Robert L.) 11: 1753-1764

structural analysis-interpretation

coal seams: Anisotropic fragments in strongly folded and faulted coals from the Rocky Mountain area of Southeast British Columbia (Goodarzi, Fariborz) 2: 254-258 fold belts: The Amer Belt; remnant of an Aphebian foreland fold and thrust belt (Patterson, Judith G.) 12: 2012-2023

polyphase processes: Deformational history of an outlier of metasedimentary rocks, Coast Plutonic Complex, British Columbia, Canada (Douglas, Bruce J.) 6: 813-826

structural petrology see structural analysis

sulfides-sulfur

isotopes: Vein, manto, and chimney mineralization at the Fresnillo silver-lead-zinc mine, Mexico

(Macdonald, A. James, et al.) 10: 1603-1614

sulfur-isotopes

S-34/S-32: Sulphur-isotope geochemistry of silver-sulpharsenide vein mineralization, Cobalt, Ontario

(Goodz, M. D., et al.) 10: 1551-1567

sulphur see sulfur

symposia-areal geology

British Columbia: W. H. Mathews symposium; a celebration-Symposium W. H. Mathews; une celebration (Greenwood, Hugh J.) 6: 855-908

symposia-economic geology

silver ores: Silver vein deposits-Des gites de filons d'argent

(Andrews, Anthony J., et al.) 10: 1459-1640

techniques see under analysis under isotopes; see under hydrogeology; palynology; rock mechanics; well-logging; see under thermoluminescence under geochronology

tectonics see also faults; folds; orogeny; structural analysis; see also under structural geology under British Columbia: Canadian Shield; Labrador; Minnesota; Newfoundland; Northwest Territories; Nova Scotia; Quebec; Washington

tephrochronology see under geochronology terraces see under fluvial features under geomorphology

Tertiary see also under stratigraphy under Alberta

theoretical studies see under marine installations; permafrost

thermoluminescence see under geochronolo-

thorium-isotopes

Th-230: An improved alpha scintillation counting method for determination of Th, U, Ra-226, Th-230 excess, and Pa-231 excess in marine sediments 7: 959-966 (Huntley, D. J., et al.)

thrust faults see under displacements under

titanium-geochemistry

metabasalt: Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.)

trace elements see under geochemistry under Alberta; Appalachians; Canada; Canadian Shield; igneous rocks; lava; magmas; metamorphic rocks; New Brunswick; Nova Scotia; Ontario; Quebec; sediments

tracks and trails see ichnofossils

Triassic see also under geochronology under Canada; see also under stratigraphy under Yukon Territory

Trilobita-Ptychopariida

Cambrian: Classification of the Late Cambrian trilobite Idiomesus Raymond (Ludvigsen, Rolf, et al.) 3: 300-307 New ptychaspidid trilobites from the Upper Cambrian Mistaya Formation of southern Alberta

(Westrop, Stephen R.) 2: 214-221 tritium see also deuterium; hydrogen

turbidity current structures see under sedimentary structures

underground water see ground water

United States see also Alaska; Idaho; Kansas; Michigan; Minnesota; North Dakota; South Dakota; Washington

uranium-isotopes

analysis: An improved alpha scintillation counting method for determination of Th, U. Ra-226, Th-230 excess, and Pa-231 excess in marine sediments 7: 959-966 (Huntley, D. J., et al.)

uranium ores see also under economic geology under Quebec

USSR—stratigraphy

Jurassic: The Jurassic ammonite Pseudolioceras (Tugurites) of the Bering Province

(Sey, I. I., et al.) 7: 1042-1045 Vertebrata see also ichnofossils; Mammalia; Pisces; Reptilia

vertebrates see also fish; mammals

volcanic features see under geomorphology volcanic rocks see under igneous rocks

volcanism see under volcanology

volcanoes see under volcanology

volcanology-volcanism

hot spots: Petrology of volcanic rocks in the Archean Matagami-Chibougamou greenstone belt west of Chapais (East Abitibi, Quebec); 1, The basal Roy Group

(Picard, Christian, et al.) 4: 561-578 rifting: Petrochemistry and tectonic significance of Carboniferous volcanic rocks in New Brunswick

9: 1243-1256 (Fyffe, L. R., et al.) volcanic belts: The western Anahim Belt; root zone of a peralkaline magma system (Souther, J. G.) 6: 895-908

volcanology-volcanoes

Mount Saint Helens: Revised 14C age for St. Helens Y tephra at Tonquin Pass, British Columbia 5: 734-736

(Luckman, B. H., et al.)

Washington-geochronology

Mesozoic: Fission-track dating of the tectonic development of the San Juan Islands, Washington (Johnson, Samuel Y., et al.)

9: 1318-1330

Washington-structural geology tectonics: Fission-track dating of the tectonic development of the San Juan Islands, Washington

(Johnson, Samuel Y., et al.) 9: 1318-1330 Washington-volcanology

Mount Saint Helens: Revised 14C age for St. Helens Y tephra at Tonquin Pass, British Columbia

(Luckman, B. H., et al.) 5: 734-736 waste disposal see also under engineering geology under Finland

water see also ground water; hydrogeology; hydrology

well-logging-interpretation

magnetic susceptibility: Interpretation of magnetic susceptibility: a new approach to geophysical evaluation of the degree of rock alteration (Lapointe, P., et al.) 3: 393-401

well-logging-techniques

sampling: A new technique for sampling water and gas from deep drill holes (Nurmi, Pekka A., et al.) 9: 1450-1454

Western Hemisphere see also Atlantic Ocean: North America

Western U.S. see also Alaska; Idaho; Washington

xenoliths see under inclusions

yttrium-geochemistry

metabasalt: Contrasting secondary mobility of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.)

8: 1138-1144

Yukon Territory-economic geology gold ores: Ground-ice investigations, Klondike District, Yukon Territory 4: 550-560 (French, H. M., et al.)

Yukon Territory—engineering geology permafrost: Ground-ice investigations.

Klondike District, Yukon Territory (French, H. M., et al.) 4: 550-560 Isotope geochemistry of frost-blister ice, North Fork Pass, Yukon, Canada 4: 543-549 (Michel, Frederick A.)

Yukon Territory—geochronology

Cretaceous: Additional K-Ar isotopic dates for the Carmacks Group (Upper Cretaceous), west central Yukon (Lowey, G. W., et al.) 11: 1857-1859

Yukon Territory-geomorphology glacial geology: Measuring glacier-motion fluctuations using a computer-controlled survey system

Yukon Territory-hydrogeology

springs: Isotope geochemistry of frost-blister ice, North Fork Pass, Yukon, Canada (Michel, Frederick A.) 4: 543-549

(Clarke, Garry K. C., et al.) 5: 727-733

Yukon Territory-paleontology

Mammalia: The extinct short-faced skunk Brachyprotoma obtusata (Mammalia, Carnivora); first records for Canada and Beringia

(Youngman, Phillip M.) 3: 419-424 Yukon Territory-sedimentary petrology reefs: Discovery of Triassic phylloid algae;

possible links with the Paleozoic (Reid, R. Pamela) 12: 2068-2071

Yukon Territory-stratigraphy

Holocene: Stratigraphic, isotopic, and mineralogical evidence for an early Holocene thaw unconformity at Mayo, Yukon Territory (Burn, C. R., et al.) 6: 794-803

Proterozoic: Paleomagnetism of the Katherine Group in the Mackenzie Mountains; implications for post-Grenville (Hadrynian) apparent polar wander (Park, John K., et al.) 3: 308-323

Triassic: Discovery of Triassic phylloid algae; possible links with the Paleozoic (Reid, R. Pamela) 12: 2068-2071 zirconium—geochemistry metabasalt: Contrasting secondary mobili-

ty of Ti, P, Zr, Nb, and Y in two metabasaltic suites in the Appalachians (Murphy, J. Brendan, et al.)
8: 1138-1144

zoogeography see biogeography

